

Index to Volume 120

Compiled by Leslie Cody

- Abies amabilis*, 172
 balsamea, 100,236,238,299,433,440
 lasiocarpa, 100,331
- Accipiter striatus*, 46
- Acer* spp., 226
 circinatum, 11,171,348
 glabrum var. *douglasii*, 171
 macrophyllum, 11,180
 rubrum, 299,354
 saccharum, 299
- Achillea millefolium*, 354
- Achnatherum hymenoides*, 336
- Acipenser fulvescens*, 71
 transmontanus, 422
- Acipenser fulvescens*, Movements in Rainy Lake, Minnesota and Ontario, Lake Sturgeon, 71
- Acorn, J., Reviews by, 245,489
- Adams, W.E. Jr., L.W. Kallemeyn, and D.W. Willis. Lake Sturgeon, *Acipenser fulvescens*, Movements in Rainy Lake, Minnesota and Ontario, 71
- Adiantum capillus-veneris*, 138
- Aegolius acadicus*, 294,303
- Aeshna* sp., 416
 canadensis, 415
 constricta, 417
 eremita, 417
 interrupta, 416
 interrupta lineata, 416
 interrupta lineata ssp. *lineata*, 416
 umbrosa, 416
 umbrosa umbrosa, 417
- Agalinis neoscotica*, 357
- Agriotes collaris*, 19
 stabilis, 19
- Agropyron cristatum*, 337
- Agrostis exerata*, 214
 tenuis, 354
- Agujaceratops*, 403
- Aira caryophyllea*, 320
 praecox, 154,320
- Aix sponsa*, 236,303
- Alaska, First Record of a River Otter, *Lontra canadensis*, Captured on the Northeastern Coast of, 235
- Alaska, Physical Characteristics, Hematology, and Serum Chemistry of Free-ranging Gray Wolves, *Canis lupus*, in Southcentral, 205
- Alaska, 2001–2003, Assessment of Effects of an Oil Pipeline on Caribou, *Rangifer tarandus granti*, Use of Riparian Habitats in Arctic, 323
- Alberta, A New Record of Deepwater Sculpin, *Myoxocephalus thompsonii*, in Northeastern, 480
- Alberta Boreal Forests, Winter Habitat Use by American Marten, *Martes americana*, in Western, 100
- Alberta, Pack Size of Wolves, *Canis lupus*, on Caribou, *Rangifer tarandus*, Winter Ranges in Westcentral, 313
- Alces alces*, 205,313,367
 alces americana, 51
- Alder, 236,240
 Red, 11,348
 Speckled, 22
- Allium amplexens*, 160
 cernuum, 154
- Alnus* sp., 236,238,240
 incana, 22
 rubra, 348
 rubus, 11
- Alopecurus carolinianus*, 164
- Alopex lagopus*, 36
- Alosa sapidissima*, 422
- Ambystoma gracile*, 90
 macrodactylum, 90
- Ameiurus catus*, 424
 melas, 422
 natalis, 421
 nebulosus, 422
- Ameiurus natalis*, a Loricariid Catfish, *Panaque suttonorum*, and a Silver Pacu, *Piaractus* cf. *P. brachypomus*, in British Columbia, First Records of the Yellow Bull-head, 421
- Amelanchier*, 428
 alnifolia, 176,428
 alnifolia var. *compacta*, 428
 florida, 428
 humilis, 428
 humilis var. *compacta*, 428
 laevis, 354
 laevis × *lucida*, 354
 lucida, 354
 sanguinea, 428
- Amelanchier* in the Whitewood area of Southeastern Saskatchewan and the First Saskatchewan Records of *Amelanchier sanguinea*, Regional Variation in, 428
- Amelanchier sanguinea*, Regional Variation in *Amelanchier* in the Whitewood area of Southeastern Saskatchewan and the First Saskatchewan Records of, 428
- Amia calva*, 422
- Ammodytes americanus*, 96
- Ammospiza leconteii*, 22
- Ammospiza leconteii*, from Northeastern Ontario, with Some Notes on Nesting Behaviour, New Nesting Records of the Le Conte's Sparrow, 22
- Anaphalis margaritacea*, 354
- Anas clypeata*, 5
 platyrhynchos, 6
- Anax junius*, 417
- Anderson, C.S., D.B. Meikle, A.B. Cady, and R.L. Schaefer. Annual Variation in Habitat Use by White-footed Mice, *Peromyscus leucopus*: The Effects of Forest Patch Size, Edge and Surrounding Vegetation Type, 192
- Andrena*, 19

- Anguilla rostrata*, 238,477
 Anguille d'Amérique, 238
Antennaria flagellaris, 183
 howellii ssp. *neodioica*, 354
Antennaria flagellaris, in Canada, Conservation Evaluation of Stoloniferous Pussytoes, 183
Anthophora, 180
Anthoxanthum odoratum, 148,154,160
Antilocapra americana, 210
Apera interrupta, 320
Apis mellifera, 294
Apocynum androsaemifolium var. *incanum*, 354
Apodemus sylvaticus, 195
 Apple-Producing Region of Southern Quebec, First Observations of an Eastern Screech-Owl, *Megascops asio*, Population in an, 289
Aralia hispida, 354
Arbutus menziesii, 148,180
 Arbutus, 148,180
Arctostaphylos uva-ursi, 172,336,354
Arenaria capillaris ssp. *americana*, 184
Aronia sp., 353
 Aronia, 360
Artemisia cana ssp. *cana*, 336
 tridentata, 164,184
Ascophyllum nodosum, 236
Asio otus, 295
 Aspen, 314,428
 Trembling, 22,100,342
Astragalus miser, 176
Athous acanthus, 19
 Auditor's Report, 398
 Aulnes, 238
Aythya sp., 6
 affinis, 5
 americana, 109
 collaris, 6
 marila, 109
 valisneria, 109
Baccha elongata, 17
 Badger, 209
 American, 31,342
 European, 52
 Badiou, P.H.J. and L.G. Goldsborough. Northern Range Expansion and Invasion by the Common Carp, *Cyprinus carpio*, of the Churchill River System in Manitoba, 83
Balaena mysticetus, 462
Balaenoptera acutorostrata, 95
 borealis, 97
 musculus, 95
 physalus, 95
Balanus improvisus, 106
 Baldwin, R.A., A.E. Houston, M.L. Kennedy, and P.S. Liu. Predicting Raccoon, *Procyon lotor*, Occurrence Through the Use of Microhabitat Variables, 225
 Balkwill, D., B.W. Coad, I. Galvez, and J. Gilhen. First Record of the Great Barracuda, *Sphyræna barracuda* from Canada, 241
 Ballard, W.B., 205
Balsamorhiza sagittata, 176
 Balsamroot, Arrow-leaved, 176
 Barley, 343
 Barracuda, Great, 241
 Barracuda, *Sphyræna barracuda* from Canada, First Record of the Great, 241
 Barton, K., 163,183
Bartonia virginica, 357
 Basquill, S., 351
 Bass, Largemouth, 422
 Smallmouth, 421
 Striped, 422
 Bat, Big Brown, 39
 Little Brown, 39,51
 Long-legged, 39
 Northern Long-eared, 39,51,332
 Silver-haired, 39
 Western Long-eared, 39
 Bat, *Myotis septentrionalis*, in the Yukon Territory, First Records of the Northern Long-eared, 39
Bdellarogatis, 444
 plumbeus, 444
 Bear, American Black, 51
 Black, 57,68,110,209,314
 Brown, 57
 Grizzly, 314
 Bear, *Ursus americana*, Retrieval of an Elk, *Cervus elaphus*, Carcass from a Small Lake in Riding Mountain National Park, Manitoba, Probable Black, 110
 Bear, *Ursus americanus* L., Long-range Homing by an Adult Female Black, 57
 Bearberry, Common, 336
 Beaudoin, A.B., Reviews by, 383,493,494
 Beaver, 51,62,205,331,368
 Bee, 15
 Honey, 294
 Beetle, 296
 Click, 15
 Ground, 16
 Beluga, 457
 Bertrand, A.-S., S. Kenn, D. Gallant, E. Tremblay, L. Vasseur, and R. Wissink. MtDNA Analyses on Hair Samples Confirm Cougar, *Puma concolor*, Presence in Southern New Brunswick, Eastern Canada, 438
Betula spp., 428,440
 alleghaniensis, 299
 cordifolia, 299
 papyrifera, 22,50,238,299,354,433,440
 populifolia, 354
 Birch, 428,440
 Mountain, 299
 Paper, 433
 White, 22,50,299,440
 Yellow, 299
 Bird, D.M., 289
Bison bison athabasca, 68
 Bison, Wood, 68
 Bitter-cress, Little Western, 180
 Bizecki Robson, D. A Conservation Evaluation of Smooth Goosefoot, *Chenopodium subglabrum* (Chenopodiaceae), in Canada, 335
 Blackberry, 359
 Blaney, S., 319
Blarina brevicauda, 294,436
Blastocermis dichotomus, 64
 Blinn, B.M., V. Violette, and A.W. Diamond. Osprey, *Pandion haliaetus*, Depredates Common Eider, *Somateria mollissima*, Duckling, 236
 Blue-eyed Mary, Large-flowered, 180
 Blue-Eyed-Grass, Coastal-Plain, 359
 Blueberry, 360
 Alaskan, 172

- Bluegill, 422
- Bluegrass, Annual, 320
Bulbous, 320
Kentucky, 160
- Bluejoint, Canada, 22
- Bluet, Azure, 417
Big, 417
Familiar, 417
Hagen's, 417
Marsh, 417
- Blush, Sea, 154,158
- Bobcat, 230
- Bobwhite, Northern, 452
- Bobwhites, *Colinus virginianus*, by Mammalian Mesopredators: Does the Problem-Individual Paradigm Fit?, Predation on Artificial Nests of Northern, 452
- Bombus*, 180
perplexus, 19
vagans, 19
- Bombycilla cedrorum*, 294
- Boreal Dip Net/L'Epuisette Boréale* January 2006, *The*, 392
- Bouleau blanc, 238
- Bowfin, 422
- Brachyopa*, 20
notata, 17
- Brachypalpus oarus*, 17
- Branta canadensis*, 109
- British Columbia, A Test of Interspecific Effects of Introduced Eastern Grey Squirrels, *Sciurus carolinensis*, on Douglas's Squirrels, *Tamiasciurus douglasii*, in Vancouver, 10
- British Columbia, Early Ontogenetic Diet in Gray Wolves, *Canis lupus*, of Coastal, 61
- British Columbia, First Records of the Yellow Bullhead, *Ameiurus natalis*, a Loricariid Catfish, *Panaque suttonorum*, and a Silver Pacu, *Piaractus cf. P. brachyomus*, in, 421
- British Columbia, Life History Phenology and Sediment Size Association of the Dragonfly *Cordulegaster dorsalis* (Odonata: Cordulegasteridae) in an Ephemeral Habitat in Southwestern, 347
- Brome, 148,154
Barren, 160,180
- Bromus*, 148,154
sterilis, 160,180
tectorum, 176
- Broom, Scotch, 148,155,160
- Brunelle, P.M., 413
- Bryan, H.M., C.T. Darimont, T.E. Reimchen, and P.C. Paquet. Early Ontogenetic Diet in Gray Wolves, *Canis lupus*, of Coastal British Columbia, 61
- Bryant, J.E. A Tribute to Nicholas Stephen Novakowski 1925–2004, 370
- Bubo virginianus*, 290
- Bucephala albeola*, 6
clangula, 5,109
- Buckwheat, 343
Cushion, 184
Parsnip-flowered, 184
- Budworm, Spruce, 50,299
- Bufflehead, 6
- Bufo americanus*, 240
boreas, 87
- Bullhead, Black, 422
Brown, 422
Yellow, 421
- Bullhead, *Ameiurus natalis*, a Loricariid Catfish, *Panaque suttonorum*, and a Silver Pacu, *Piaractus cf. P. brachyomus*, in British Columbia, First Records of the Yellow, 421
- Bulrush, American Three-square, 213
- Bunchberry, 440
- Bunker-Popma, K. Scoter, *Melanitta* spp., Migrations Interrupted by Confederation Bridge: An Update, 232
- Bur-reed, Narrowleaf, 240
- Burbot, 422,480
- Burchsted, F., 106
- Burchsted, J.C.A. and F. Burchsted. Lady Crabs, *Ovalipes ocellatus*, in the Gulf of Maine, 106
- Butcher, M.K., 323
- Butler, M.J., W.B. Ballard, and H.A. Whitlaw. Physical Characteristics, Hematology, and Serum Chemistry of Free-ranging Gray Wolves, *Canis lupus*, in Southcentral Alaska, 205
- Buttercup, Bur, 319
- Buttercup, *Ranunculus testiculatus*, New to Eastern Canada, Bur, 319
- Butterfly, Maritime Copper, 419
- Cabbage, Skunk, 172
- Cady, A.B., 192
- Calamagrostis* sp., 354
canadensis, 22
- Calamovilfa longifolia*, 336
- Calidris* spp., 5
- Caligus*, 199
clemensi, 199
- Camarasaurus*, 408
- Camas, Common, 148
- Camassia quamash*, 148
- Canada, A Conservation Evaluation of Smooth Goosefoot, *Chenopodium subglabrum* (Chenopodiaceae), in, 335
- Canada, Bur Buttercup, *Ranunculus testiculatus*, New to Eastern, 319
- Canada, Conservation Evaluation of Pacific Rhododendron, *Rhododendron macrophyllum*, in, 169
- Canada, Conservation Evaluation of Slender Collomia, *Collomia tenella*, in, 175
- Canada, Conservation Evaluation of Stoloniferous Pussytoes, *Antennaria flagellaris*, in, 183
- Canada, Conservation Evaluation of the Bog Bird's-foot Trefoil, *Lotus pinnatus*, in, 157
- Canada, Conservation Evaluation of the Pacific Population of Dwarf Woolly-heads, *Psilocarphus brevissimus* var. *brevissimus*, in, 163
- Canada, Conservation Evaluation of the Prairie Lupine, *Lupinus lepidus* var. *lepidus*, in, 147
- Canada, Conservation Evaluation of the Seaside Birds-foot Trefoil, *Lotus formosissimus*, in, 153
- Canada, Conservation Evaluation of the Small-flowered Tonella, *Tonella tenella*, in, 179
- Canada, Extension of Coyote, *Canis latrans*, Breeding Range in the Northwest Territories, 67
- Canada, First Record of the Great Barracuda, *Sphyræna barracuda* from, 241
- Canada, MtDNA Analyses on Hair Samples Confirm Cougar, *Puma concolor*, Presence in Southern New Brunswick, 438
- Canada's Maritime Provinces, Recent Declines of House Sparrows, *Passer domesticus*, in, 43

- Canadian Arctic, Reactions of Narwhals, *Monodon monoceros*, to Killer Whale, *Orcinus orca*, Attacks in the Eastern, 457
- Canadian Association of Herpetologists/Association Canadienne des Herpetologistes Bulletin, 502
- Canadian Field-Naturalist*, Advice for Contributors to *The*, 134,262,402,534
- Canadian Field-Naturalist* 119(3), Errata *The*, 133
- Canadian Field-Naturalist* 120(1), Errata *The*, 259
- Canadian Field-Naturalist* 120(2), Errata *The*, 503
- Canadian Field-Naturalist* 120(3), Errata *The*, 503
- Cancer magister*, 364
- productus*, 363
- Canis* sp., 263
- familiaris*, 263,479
- latrans*, 27,31,40,50,67,110,209,263,314,342,472,474, 478
- lupus*, 27,57,61,67,111,205,263,313,367,466,471,476, 478
- lupus arctos*, 466,471
- lupus beothucus*, 50
- lycaon*, 27
- rufus*, 27
- Canis latrans*, An Ethogram Developed on Captive Eastern Coyotes, 263
- Canis latrans*, Breeding Range in the Northwest Territories, Canada, Extension of Coyote, 67
- Canis latrans*, Conditions for Sexual Interactions Between Wild Grey Wolves, *Canis lupus*, and Coyotes, 27
- Canis latrans*, in a Heavily Urbanized Area: Implications for Ecosystem Management, Use of "Micro"-Corridors by Eastern Coyotes, 474
- Canis latrans*, in an Urban Area, Rat Poison Kills a Pack of Eastern Coyotes, 478
- Canis lupus*, and Coyotes, *Canis latrans*, Conditions for Sexual Interactions Between Wild Grey Wolves, 27
- Canis lupus arctos*: Influence of Order on Posture, Double Marking in Arctic Wolves, 471
- Canis lupus arctos*, in Summer, Urine-marking and Ground-scratching by Free-ranging Arctic Wolves, 466
- Canis lupus*, Group for Ontario, A New Record Size Wolf, 367
- Canis lupus*, in Southcentral Alaska, Physical Characteristics, Hematology, and Serum Chemistry of Free-ranging Gray Wolves, 205
- Canis lupus*, of Coastal British Columbia, Early Ontogenetic Diet in Gray Wolves, 61
- Canis lupus*, on Caribou, *Rangifer tarandus*, Winter Ranges in Westcentral Alberta, Pack Size of Wolves, 313
- Canola, 343
- Canvasback, 109
- Carassius auratus*, 422
- Carbyn, L., Review by, 249
- Carbyn, S., 307
- Carbyn, S., P.M. Catling, S.P. Vander Kloet, and S. Basquill. An Analysis of the Vascular Flora of Annapolis Highlands, Nova Scotia, 351
- Cardamine oligosperma*, 180
- Cardinal, Northern, 294
- Cardinalis cardinalis*, 294
- Carduella tristis*, 294
- Carex atlantica*, 357
- cumulata*, 354
- deflexa* var. *deflexa*, 354
- emonsii*, 354
- feta*, 160
- lucorum*, 360
- lyngbyei*, 213
- nigra*, 354
- oligosperma*, 22
- paleacea*, 416
- praegracilis*, 310
- scoparia*, 354
- siccata*, 360
- stipata*, 22
- tonsa*, 358
- tonsa* var. *rugosperma*, 354
- tonsa* var. *tonsa*, 354
- tumulicola*, 160
- Caribou, 313,323
- Barren-ground, 205
- Woodland, 50,313,367
- Caribou, *Rangifer tarandus granti*, Use of Riparian Habitats in Arctic Alaska, 2001–2003, Assessment of Effects of an Oil Pipeline on, 323
- Caribou, *Rangifer tarandus*, Winter Ranges in Westcentral Alberta, Pack Size of Wolves, *Canis lupus*, on, 313
- Carp, Common, 83,422
- Carp, *Cyprinus carpio*, of the Churchill River System in Manitoba, Northern Range Expansion and Invasion by the Common, 83
- Carver, D.B., 452
- Carya* spp., 226
- Castor canadensis*, 62,205,331,368
- canadensis caecator*, 51
- Cat, Domestic, 46
- Cat's-ear, Hairy, 154
- Caterpillar, Forest Tent, 433
- Catfish, Black, 425
- Blue, 424
- Brown, 425
- Channel, 422
- Flathead, 424
- Loricariid, 421
- White, 424
- Yellow, 425
- Catfish, *Panaque suttonorum*, and a Silver Pacu, *Piaractus* cf. *P. brachypomus*, in British Columbia, First Records of the Yellow Bullhead, *Ameiurus natalis*, a Loricariid, 421
- Catling, P., Review by, 249
- Catling, P.M., 351
- Catling, P.M. and G. Mitrow. Regional Variation in *Amelanchier* in the Whitewood area of Southeastern Saskatchewan and the First Saskatchewan Records of *Amelanchier sanguinea*, 428
- Catling, P.M. and S. Carbyn. Recent Invasion, Current Status and Invasion Pathway of European Common Reed, *Phragmites australis* subspecies *australis*, in the Southern Ottawa District, 307
- Catling, P.M., R. Hutchinson, and P.M. Brunelle. Use of Salt-marsh by Dragonflies (Odonata) in the Baie des Chaleurs Region of Quebec and New Brunswick in Late Summer and Autumn, 413
- Catostomus catostomus*, 422,481
- commersoni*, 422
- Cedar, White, 300
- Celithemis elisa*, 417
- Centaurea nigra*, 354
- Centrosaurus apertus*, 408
- Cerastium pumilum*, 320

- semidecandrum*, 320
Ceratocephalus testiculatus, 319
Ceratodon purpureus, 358
Certhia americana, 303
Cervus elaphus, 110,188,314
Cervus elaphus, Calf Observed Near Bancroft, Ontario, Late-born Elk, 188
Cervus elaphus, Carcass from a Small Lake in Riding Mountain National Park, Manitoba, Probable Black Bear, *Ursus americana*, Retrieval of an Elk, 110
Chalcosyrphus, 20
nemorum, 17
Chamaecyparis nootkatensis, 172
Chamaedaphne calyculata, 23
Channa sp., 424
 Char [Charr], Arctic, 199,235,422
Chasmosaurus, 403
belli, 403
humeri, 408
irvinensis, 403
mariscalensis, 403
russelli, 403
Chasmosaurus belli (Dinosauria: Ornithischia), A Reevaluation of Sexual Dimorphism in the Postcranium of the Chasmosaurine Ceratopsid, 403
 Cheatgrass, 176
Cheilosia rita, 17
tristis, 17
Chen caerulescens caerulescens, 213
Chen caerulescens caerulescens, Exceeding the Carrying Capacity of the Fraser River Delta's Brackish Marshes?, Are Lesser Snow Geese, 213
Chenopodium album, 337
bonus-henricus, 340
fremontii, 340
pratensis, 336
quinoa, 340
subglabrum, 335
Chenopodium subglabrum (Chenopodiaceae), in Canada, A Conservation Evaluation of Smooth Goosefoot, 335
 Cherry, 360
 Pin, 50
 Chickadee, Black-capped, 294,302
 Boreal, 302
 Chickweed, Curtis' Mouse-ear, 320
 Lesser, 320
 Small Mouse-ear, 320
 Chimpanzee, 264
 Chipmunk, 264,295
 Eastern, 51
Chitonotus pugetensis, 364
Choristoneura fumiferana, 50,299
 Chub, Flathead, 422
 Lake, 422
 Cifuni, S.M., 478
Circus cyaneus, 109
 Cisco, 480
 Shortjaw, 482
Cladina rangiferina, 358
stellaris, 358
Cladonia spp, 171
 Cladonia, 171
Clarias sp., 424
 Clarke, J.B., Review by, 247
 Classen, M.-C., 347
Claytonia perfoliata, 180
 Cleavers, 180
Clethrionomys sp., 291
gapperi, 50,331
Clethrionomys gapperi, in Newfoundland: Implications for the Endangered Newfoundland Marten, *Martes americana atrata*, First Record of the Southern Red-Backed Vole, 50
Clintonia borealis, 357
 Cluff, H.D. Extension of Coyote, *Canis latrans*, Breeding Range in the Northwest Territories, Canada, 67
Clupea harengus, 96
 Coad, B.W., 241
 Coad, B.W. and A.M. Murray, Review by, 116
 Coad, B.W., Review by, 114
 Cody Receives Yukon Biodiversity Awareness Award, Bill, 258
Coenonypha tullia nipisiquit, 419
Colaptes auratus, 294,303
 Coleoptera, 296
Colinus virginianus, 452
Colinus virginianus, by Mammalian Mesopredators: Does the Problem-Individual Paradigm Fit?, Predation on Artificial Nests of Northern Bobwhites, 452
Collinsia, 180
grandiflora, 180
Collomia linearis, 176
tenella, 175
 Collomia, Narrow-leaved, 176
 Slender, 175
 Collomia, *Collomia tenella*, in Canada, Conservation Evaluation of Slender, 175
Collomia tenella, in Canada, Conservation Evaluation of Slender Collomia, 175
 Colorado, Multiple Scale Den Site Selection by Swift Foxes, *Vulpes velox*, in Southeastern, 31
Colossoma sp., 424
bidens, 424
Columba spp., 57
livia, 294
Comptonia peregrina, 354
 Coot, 2
Cordulegaster bidentata, 350
boltonii, 347
dorsalis, 347
heros, 350
maculata, 347
Cordulegaster dorsalis (Odonata: Cordulegastridae) in an Ephemeral Habitat in Southwestern British Columbia, Life History Phenology and Sediment Size Association of the Dragonfly, 347
Coregonus artedii, 480
clupeiformis, 422,480
zenithicus, 482
Corema, 357
conradii, 351
 Corn, 226,294
Cornus canadensis, 354,440
Corvus brachyrhynchos, 109
corax, 109,110
Corylus cornuta, 170
 Cotton, 226
 Cottontail, Nuttall's, 165
 Cottonwood, 226
Cottus asper, 425
Couesius plumbeus, 422
 Cougar, 40,314,438,476
 Eastern, 438

- Cougar, *Puma concolor*, Presence in Southern New Brunswick, Eastern Canada, MtDNA Analyses on Hair Samples Confirm, 438
- Cow-wheat, 170
- Cowbird, Brown-headed, 294
- Coyote, 27,31,40,67,110,209,314,342,472
Eastern, 50,263,474,478
- Coyote, *Canis latrans*, Breeding Range in the Northwest Territories, Canada, Extension of, 67
- Coyotes *Canis latrans*, An Ethogram Developed on Captive Eastern, 263
- Coyotes, *Canis latrans*, Conditions for Sexual Interactions Between Wild Grey Wolves, *Canis lupus*, and, 27
- Coyotes, *Canis latrans*, in a Heavily Urbanized Area: Implications for Ecosystem Management, Use of "Micro"-Corridors by Eastern, 474
- Coyotes, *Canis latrans*, in an Urban Area, Rat Poison Kills a Pack of Eastern, 478
- Crab, Dungeness, 364
Lady, 106
Redrock, 363
- Crabs, *Ovalipes ocellatus*, in the Gulf of Maine, Lady, 106
- Crane, Sandhill, 68
- Crappie, Black, 422
- Crataegus* cf. *chrysocarpa*, 354
- Creeper, Brown, 302
- Crepis tectorum*, 354
- Crins, W.J., 15
- Crocota croenta*, 52
- Cronin, M.A., 323
- Crow, American, 109
- Ctenicera cruciatus*, 20
hieroglyphica, 19
insidiosa, 19
resplendens, 19
spinosa, 19
triundulata, 18
vulnerata, 18
- Cudweed, Lowland, 164
- Culaea inconstans*, 422
- Curran, W.J., 50
- Cutthroat, West-slope, 421
- Cyanocitta cristata*, 294
- Cyclopterus lumpus*, 464
- Cygnus buccinator*, 220
- Cynomys ludovicianus*, 31
- Cynosurus echinatus*, 148
- Cyprinella lutrensis*, 424
- Cyprinus carpio*, 83,422
- Cyprinus carpio*, of the Churchill River System in Manitoba, Northern Range Expansion and Invasion by the Common Carp, 83
- Cypripedium acaule*, 354
- Cytisus scoparius*, 148,155,160
- Dactylis glomerata*, 154,160
- Daisy, Cut-leaved, 184
Salish, 137
- Dalopius* spp., 19
cognatus, 19
fuscipes, 19
- Dandelion, Common, 320
- Danthonia spicata*, 354
unispicata, 164,184
- Darimont, C.T., 61
- Darner, Canada, 417
- Common Green, 417
- Lake, 417
- Lance-tipped, 417
- Shadow, 417
- Variable, 417
- Dasysyrphus paxillus*, 17
- Davies, S., A. Griffiths, and T.E. Reimchen. Pacific Hagfish, *Eptatretus stoutii*, Spotted Ratfish, *Hydrolagus colliei*, and Scavenger Activity on Tethered Carrion in Subtidal Benthic Communities off Western Vancouver Island, 363
- Deer, 68
Black-tailed, 63
Marsh, 64
Mule, 40,314
Pampas, 64
Sitka Black-tailed, 61
White-tailed, 29,40,64,68,209,313,367
- Delphinapterus leucas*, 457
- Delphinium menziesii*, 154
- Delphinus delphis*, 97
- Demarchi, M.W. Are Lesser Snow Geese, *Chen caerulescens caerulescens*, Exceeding the Carrying Capacity of the Fraser River Delta's Brackish Marshes?, 213
- Deschampsia danthonioides*, 164
flexuosa, 354
- Desert-parsley, Swale, 184
- Desroches, J.-F. Extension de l'aire de distribution de l'Umbre de vase, *Umbra limi*, dans le nord-est du Québec, 238
- Desroches, J.-F., I. Picard, and J.E. Maunder. The Mink Frog, *Rana septentrionalis*, in Southeastern Labrador, 239
- Desrosiers, J., 169
- Dewey, T.A., 39
- Diamond, A.W., 236
- Dianthus armeria*, 354
- Dichanthelium* (sub *Panicum*) *depauperatum* var. *psilophyllum* f. *cryptostachys*, 360
acuminatum var. *fasciculatum*, 354
depauperatum, 354
linearifolium, 354
sabulorum var. *thinium*, 360
- Dicranum* sp., 180
scoparium, 358
- Dicrostonyx groenlandicus*, 466
- Didelphis virginiana*, 229,452
- Diervella lonicera*, 354
- Distichlis spicata*, 214
- Doellingeria umbellata* var. *umbellata*, 354
- Dog, 479
African Wild, 52
Domestic, 263
- Dogtail, Hedgehog, 148
- Dollar, Silver, 424
- Dolphin, Atlantic White-sided, 95
Common Bottlenose, 97
Dusky, 97
Short-beaked Common, 97
White-beaked, 95
White-sided, 95
- Donaldson, M.R., Review by, 121
- Donovan, M. Conservation Evaluation of the Bog Bird's-foot Trefoil, *Lotus pinnatus*, in Canada, 157
- Dorocordulia lepida*, 417
- Douglas, G.W. and J. Desrosiers. Conservation Evaluation of Pacific Rhododendron, *Rhododendron macrophyllum*, in Canada, 169

- Douglas, G.W. and J.L. Penny. Conservation Evaluation of Slender Collomia, *Collomia tenella*, in Canada, 175
- Douglas, G.W. and J.L. Penny. Conservation Evaluation of the Small-flowered Tonella, *Tonella tenella*, in Canada, 179
- Douglas, G.W. and M. Ryan. Conservation Evaluation of the Prairie Lupine, *Lupinus lepidus* var. *lepidus*, in Canada, 147
- Douglas, G.W. and M. Ryan. Conservation Evaluation of the Seaside Birds-foot Trefoil, *Lotus formosissimus*, in Canada, 153
- Douglas, G.W., J.L. Penny, and K. Barton. Conservation Evaluation of Stoloniferous Pussytoes, *Antennaria flagellaris*, in Canada, 183
- Douglas, G.W., J.L. Penny, and K. Barton. Conservation Evaluation of the Pacific Population of Dwarf Woollyheads, *Psilocarphus brevissimus* var. *brevissimus*, in Canada, 163
- Douglas, H., 15
- Douglas 1938 – 2005, A Tribute to George Wayne, 135
- Douglas-fir, 148,158,164,169,176,184,348
Coastal, 180
- Dove, Mourning, 294
Rock, 294
- Dragonflies (Odonata) in the Baie des Chaleurs Region of Quebec and New Brunswick in Late Summer and Autumn, Use of Saltmarsh by, 413
- Dragonfly, 347
- Dragonfly *Cordulegaster dorsalis* (Odonata: Cordulegastriidae) in an Ephemeral Habitat in Southwestern British Columbia, Life History Phenology and Sediment Size Association of the, 347
- Dragonlet, Seaside, 417
- Drosera intermedia*, 354
- Dryocopus pileatus*, 299
- Duck, 2
Common Eider, 236
Ring-necked, 6
Wood, 236,303
- Duck Nests in Saskatchewan, Summer Movements and Impact of Individual Striped Skunks, *Mephitis mephitis*, on, 342
- Ducks, Ring-billed Gull, *Larus delawarensis*, Food Piracy on Diving, 109
- Duffe, J., 289
- Eagle, Bald, 109,237,477
- Eagle, *Haliaeetus leucocephalus*, Preying on Maritime Garter Snake, *Thamnophis sirtalis pallidulus*, on Cape Breton Island, Nova Scotia, Bald, 477
- Eatough, D.L., 474,478
- Eel, American, 477
- Editor's Report for Volume 119, 260
- Eider, Common, 233
- Eider, *Somateria mollissima*, Duckling, Osprey, *Pandion haliaetus*, Depredates Common, 236
- Elk, 110,188,314
- Elk, *Cervus elaphus*, Calf Observed Near Bancroft, Ontario, Late-born, 188
- Elk, *Cervus elaphus*, Carcass from a Small Lake in Riding Mountain National Park, Manitoba, Probable Black Bear, *Ursus americana*, Retrieval of an, 110
- Elymus canadensis*, 336
lanceolatus ssp. *lanceolatus*, 336
repens, 355
trachycaulus, 184
- Emerald, Kennedy's, 417
Petite, 417
Ski-tipped, 417
- Emphoropsis*, 180
- Enallagma aspersum*, 417
civile, 413
durum, 417
ebrium, 416
hageni, 415
- Enteromorpha* sp., 417
- Epigaea repens*, 355
- Epilobium angustifolium*, 171
densiflorum, 160
- Épinettes, 238
- Eptastrophe nitidicollis*, 17
- Eptatretus stoutii*, 363
- Eptatretus stoutii*, Spotted Ratfish, *Hydrolagus colliei*, and Scavenger Activity on Tethered Carrion in Subtidal Benthic Communities off Western Vancouver Island, Pacific Hagfish, 363
- Eptesicus fuscus*, 39
- Equus caballus*, 314
- Ericameria nauseosus* var. *speciosa*, 184
- Erigeron*, 137
compositus var. *glabratus*, 184
leibergii, 137
salishii, 137
strigosus, 355
- Eriogonum heracleoides* var. *angustifolium*, 184
ovalifolium var. *nivale*, 184
- Eristalis dimidiatus*, 17
- Erophila verna*, 320
- Erpobdella*, 449
- Erskine, A.J. Recent Declines of House Sparrows, *Passer domesticus*, in Canada's Maritime Provinces, 43
- Erythrodiplax berenice*, 413
- Esox lucius*, 421,481
- Eubalaena glacialis*, 95
- Eupeodes americanus*, 17
perplexus, 17
ponus, 17
- Euphausiid, 96
- Euphorbia esula* var. *esula*, 337
- Fairybells, Hooker's, 171
- Falco columbarius*, 46
sparverius, 290,303
- Falsebox, 169
- Fargey, P., Review by, 382
- Feathermoss, 169
- Felis catus*, 46
concolor, 314
- Fern, Bracken, 172
Maidenhair, 138
- Fescue, 226
- Festuca* spp., 226
filiformis, 355
trachyphylla, 355
- Fir, Amabilis, 172
Balsam, 50,100,236,299,433,440
Douglas, 11
Subalpine, 100
- Fireweed, 171
- Fisher, 62,101,229
- Flax, 343
- Fleabane, 137

- Leiberg's, 137
 Flicker, Northern, 294,302
 Forktail, Eastern, 417
 Fox, Arctic, 36
 Red, 36,51,68,263,342,468
 San Joaquin Kit, 52,210
 Santa Cruz Island, 210
 Swift, 31,52
 Foxes, *Vulpes velox*, in Southeastern Colorado, Multiple Scale
 Den Site Selection by Swift, 31
 Foxglove, Middleton False, 357
Fragaria virginiana, 355
 Freedman, B., 298
 Frog, Boreal Chorus, 87
 Columbia Spotted, 27
 Green, 294
 Mink, 239
 Western Spotted, 87
 Wood, 87
 Frog, *Rana septentrionalis*, in Southeastern Labrador, The
 Mink, 239
 Frostweed, Long-Branch, 359
Fucus vesiculosus, 236
 Fulmar, 458
Fulmarus glacialis, 458

 Gale, Sweet, 172,240
Galium aparine, 180
 Gallant, D., 438
 Galvez, I., 241
Gambusia affinis, 421
Gasterosteus aculeatus, 240,422
Gastromyzon sp., 424
Gaultheria ovatifolia, 171
 procumbens, 355
 shallon, 11,172
 Gawn, J., Reviews by, 490,499
 Gawn, M., Reviews by, 119,379
Gaylussacia baccata, 355
 dumosa, 360
 Geese, *Chen caerulescens caerulescens*, Exceeding the Car-
 rying Capacity of the Fraser River Delta's Brackish
 Marshes?, Are Lesser Snow, 213
 Gese, E.M., 31
 Gilhen, J., 241
 Glider, Wandering, 417
Globicephala melas, 97
Glycine max, 226
Gnaphalium palustre, 164
 Goat, Mountain, 314
 Golden-aster, Hairy, 336
 Goldeneye, Common, 5,109
 Goldenrod, 226
 Goldeye, 422
 Goldfinch, American, 294
 Goldfish, 422
 Goldsborough, L.G., 83
 Gomphid, 350
 Good King Henry, 340
 Goodwin, C.E., 319
 Goodwin, C.E., Review by, 379
 Goose spp., 5
 Canada, 109
 Lesser Snow, 213
 White, 214
 Goosefoot, Fremont's, 340
 Narrow-leaved, 336
 Smooth, 335
 Goosefoot, *Chenopodium subglabrum* (Chenopodiaceae), in
 Canada, A Conservation Evaluation of Smooth, 335
Gossypium spp., 226
 Gowans, S., 93
 Grackle, Common, 294
 Grass, Orchard, 154,160
 Sand, 336
 Switch, 226
 Grayling, Arctic, 422
 Grebe, 2
 Horned, 109
 Red-necked, 109
 Greenling, Kelp, 363
 Griffiths, A., 363
 Grouseberry, 172
Grus canadensis, 68
 Gull, 2
 Bonaparte's, 5
 Ring-billed, 109
 Gull, *Larus delawarensis*, Food Piracy on Diving Ducks,
 Ring-billed, 109
Gulo gulo, 111
 Gum, Sweet, 226
 Guppy, 422

Haemopsis, 443
 caeca, 450
 grandis, 443
 kingi, 444
 lateromaculata, 443
 marmorata, 443
 plumbea, 447
 sanguisuga, 444
 septagon, 444
 terrestris, 447
Haemopsis lateromaculata (Hirudinea: Haemopidae): Its
 North America Distribution and Additional Notes on
 Species Description, The Leech, 443
 Hagfish, Pacific, 363
 Hagfish, *Eptatretus stoutii*, Spotted Ratfish, *Hydrolagus col-
 liei*, and Scavenger Activity on Tethered Carrion in
 Subtidal Benthic Communities off Western Vancou-
 ver Island, Pacific, 363
 Hairgrass, Annual, 164
 Early, 154,320
 Silvery, 320
Haliaeetus leucocephalus, 109,237,477
Haliaeetus leucocephalus, Preying on Maritime Garter Snake,
 Thamnophis sirtalis pallidulus, on Cape Breton Is-
 land, Nova Scotia, Bald Eagle, 477
 Hall, M.N., 57
 Hamr, J., 57
 Hanke, G.F., M.C.E. McNall, and J. Roberts. First Records of
 the Yellow Bullhead, *Ameiurus natalis*, a Loricariid
 Catfish, *Panaque suttonorum*, and a Silver Pacu,
 Piaractus cf. *P. brachypomus*, in British Columbia,
 421
 Hare, Arctic, 51,466
 Snowshoe, 51,68,205
 Harrier, Northern, 109
 Harrington, F.H. Double Marking in Arctic Wolves, *Canis
 lupus arctos*: Influence of Order on Posture, 471
 Haskell, S.P. First Record of a River Otter, *Lontra canadensis*,
 Captured on the Northeastern Coast of Alaska, 235

- Hawk, Sharp-shinned, 46
 Hawkweed, White, 170
 Hazelnut, Beaked, 170
 Hearn, B.J., J.T. Neville, W.J. Curran, and D.P. Snow. First Record of the Southern Red-Backed Vole, *Clethrionomys gapperi*, in Newfoundland: Implications for the Endangered Newfoundland Marten, *Martes americana atrata*, 50
 Hedge-parsley, Upright, 180
 Heide-Jørgensen, M.P., 457
Helianthemum canadense, 355
Helianthus petiolaris sp. *petiolaris*, 336
Helophilus fasciatus, 17
 Hemlock, Coastal Western, 172
 Eastern, 290
 Western, 11,170,348
 Herring, 96
Heterotheca villosa var. *villosa*, 336
Hexagrammos decagrammus, 363
 Hickory, 226
Hieracium albiflorum, 170
 pilosella, 355
 piloselloides, 355
Hiodon alosoides, 422
Holcus lanatus, 154
 Holmes, R.B., 403
Holodiscus discolor, 158,171
 Horse, Wild, 314
 Houston, A.E., 225,452
 Houston, C.S., Reviews by, 124,382,385,496,497,498
 Hoverfly, 15
 Hoving, P. The Leech *Haemopsis lateromaculata* (Hirudinea: Haemopidae): Its North America Distribution and Additional Notes on Species Description, 443
 Huckleberry, 348,360
 Red, 11,172
Hudsonia ericoides, 355
 Huettmann, F., Reviews by, 125,254,491
 Hutchinson, R., 413
 Hwang, Y.T. and S. Larivière. A Test of Interspecific Effects of Introduced Eastern Grey Squirrels, *Sciurus carolinensis*, on Douglas's Squirrels, *Tamiasciurus douglasii*, in Vancouver, British Columbia, 10
Hydrolagus colliei, 363
Hydrolagus colliei, and Scavenger Activity on Tethered Carion in Subtidal Benthic Communities off Western Vancouver Island, Pacific Hagfish, *Eptatretus stoutii*, Spotted Ratfish, 363
 Hyena, Spotted, 52
Hylaeus elliptica, 19
Hylocomium splendens, 171
 Hymenoptera, 295
Hypericum perforatum, 355
Hypochaeris radicata, 154
Hypophthalmichthys sp., 424
Hypostomus, 424

Ictalurus furcatus, 424
 punctatus, 422
Ischnura verticalis, 416
Isoetes nuttallii, 160

 Jackal, 263
 Jay, Blue, 294

 Jennings, J.B., M.L. Kennedy, A.E. Houston, and B.D. Carver. Predation on Artificial Nests of Northern Bobwhites, *Colinus virginianus*, by Mammalian Mesopredators: Does the Problem-Individual Paradigm Fit?, 452
 John, R., Reviews by, 113,114,119,123,244,251,255,381,386,388,389,483,484,488,489
 Johnson, G., 298
Junco hyemalis, 294
 Junco, Dark-eyed, 294
Juncus balticus, 417
 effusus, 355
 gerardii, 417
 Juneberry, 360
 Jung, T.S., A.M. Runck, D.W. Nagorsen, B.G. Slough, and T. Powell. First Records of the Southern Red-backed Vole, *Myodes gapperi*, in the Yukon, 331
 Jung, T.S., B.G. Slough, D.W. Nagorsen, T.A. Dewey, and T. Powell. First Records of the Northern Long-eared Bat, *Myotis septentrionalis*, in the Yukon Territory, 39
 Juniper, 32
 Creeping, 336
Juniperus communis var. *depressa*, 355
 horizontalis, 336
 monosperma, 32

 Kallemeyn, L.W., 71
Kalmia, 240
 angustifolia, 355
 Kenn, S., 438
 Kennedy, A., 233
 Kennedy, M.L., 225,452
 Kestrel, 302
 American, 290,303
Kindbergia oregana, 180
 Kinnikinnick, 172
 Kirk, D.A., 298
 Kitchen, A.M., E.M. Gese, and S.G. Lupis. Multiple Scale Den Site Selection by Swift Foxes, *Vulpes velox*, in Southeastern Colorado, 31
 Kneteman, J., 313
 Knotweed, Close-flowered, 164
 Common, 164
Kogia breviceps, 97
 Koi, 424
 Kudzu, 226
 Kuzyk, G.W., J. Kneteman, and F.K.A. Schmiegelow. Pack Size of Wolves, *Canis lupus*, on Caribou, *Rangifer tarandus*, Winter Ranges in Westcentral Alberta, 313

 l'Umbre de vase, 238
 l'Umbre de vase, *Umbra limi*, dans le nord-est du Québec, Extension de l'aire de distribution de, 238
 Labrador, The Mink Frog, *Rana septentrionalis*, in South-eastern, 239
Lactuca canadensis var. *longifolia*, 355
Lagenorhynchus acutus, 95
 albirostris, 95
 obscurus, 97
 Laidre, K.L., M.P. Heide-Jørgensen, and J.R. Orr. Reactions of Narwhals, *Monodon monoceros*, to Killer Whale, *Orcinus orca*, Attacks in the Eastern Canadian Arctic, 457

- Lamb's-quarters, 337
Lambdina fiscellaria fiscellaria, 50
 Landriault, L.J., M.N. Hall, J. Hamr, and F.F. Mallory. Long-range Homing by an Adult Female Black Bear, *Ursus americanus*, 57
 Larch, American, 433
 Larivée, J., 289
 Larivière, S., 10
 Larivière, S., L.R. Walton, and F. Messier. Summer Movements and Impact of Individual Striped Skunks, *Mephitis mephitis*, on Duck Nests in Saskatchewan, 342
Larix laricina, 314,355,433
 Larkspur, Menzies, 154
Larus delawarensis, 109
 philadelphia, 5
Larus delawarensis, Food Piracy on Diving Ducks, Ring-billed Gull, 109
Lasioglossum admirandum, 19
 divergens, 19
 laevissimus, 19
 nymphaearum, 19
 quebecensis, 19
 rohweri, 19
 versans, 19
 zephyrus, 19
Lasionycteris noctivagans, 39
Latissimus dorsi, 406
 Lauff, R., Reviews by, 118,121,243,380
 Lawlor, J.L., 93
 Leatherleaf, 23
Lechea intermedia, 355
 intermedia var. *intermedia*, 361
 intermedia var. *juniperina*, 361
Ledum groenlandicum, 172
 Leech, 443
 Leech *Haemopsis lateromaculata* (Hirudinea: Haemopidae): Its North America Distribution and Additional Notes on Species Description, The, 443
Lejota aerea, 17
 cyanea, 17
 Lemming, 466
 Lentil, 343
Leontodon autumnalis, 355
Lepeophtheirus salmonis, 199
Lepeophtheirus salmonis Infestation Levels on Juvenile Wild Pink, *Oncorhynchus gorboscha*, and Chum, *O. keta*, Salmon to Arrival of Parasitized Wild Adult Pink Salmon, Response of the Sea Louse, 199
Lepidosetta bilineata, 364
Lepisosteus oculatus, 424
 osseus, 423
 platostomus, 424
Lepomis gibbosus, 422
 macrochirus, 422
Lepus americanus, 68,205
 americanus struthopus, 51
 arcticus, 466
 arcticus bangsii, 51
Lestes congener, 415
 disjunctus, 415
 forcipatus, 416
 inaequalis, 417
 rectangularis, 417
 unguiculatus, 417
Leucanthemum vulgare, 355
Leucorrhinia frigida, 417
Libellula luctuosa, 417
 pulchella, 417
 quadrifasciata, 415
 Lichen, 172
Limonium aeger, 19
 confusum, 19
Linaria canadensis, 355
 genistifolia ssp. *dalmatica*, 176
 Lindell, J., Review by, 252
Linnaea borealis, 172
 Lion, 52
Liquidambar styraciflua, 226
Liriodendron tulipifera, 226
Listera cordata, 170
 Liu, P.S., 225
Lobelia dortmanna, 240
 Lobelia, Water, 240
Lomatium ambiguum, 184
Lontra canadensis, 235
 canadensis degener, 51
Lontra canadensis, Captured on the Northeastern Coast of Alaska, First Record of a River Otter, 235
 Loon, 2
 Looper, Hemlock, 50
 Loosestrife, Purple, 307
Lota lota, 422,480
Lotus corniculatus, 157
 formosissimus, 153,157
 pinnatus, 153,157
Lotus formosissimus, in Canada, Conservation Evaluation of the Seaside Birds-foot Trefoil, 153
Lotus pinnatus, in Canada, Conservation Evaluation of the Bog Bird's-foot Trefoil, 157
 Louse, Sea, 199
 Louse *Lepeophtheirus salmonis* Infestation Levels on Juvenile Wild Pink, *Oncorhynchus gorboscha*, and Chum, *O. keta*, Salmon to Arrival of Parasitized Wild Adult Pink Salmon, Response of the Sea, 199
 Lump sucker, 464
 Lupine, Prairie, 147
 Silky, 176
 Lupine, *Lupinus lepidus* var. *lepidus*, in Canada, Conservation Evaluation of the Prairie, 147
Lupinus lepidus, 147
 lepidus var. *lepidus*, 147
 lepidus var. *lobbii*, 147
 lyallii, 147
 minimus, 147
 sericeus, 176
Lupinus lepidus var. *lepidus*, in Canada, Conservation Evaluation of the Prairie Lupine, 147
 Lupis, S.G., 31
Lutra canadensis, 62
Luzula multiflora, 355
Lycaena dospassosi, 419
Lycaon pictus, 52
Lycopodium dendroideum, 355
 obscurum, 357
 tristachyum, 355
Lygodesmia juncea, 336
Lynx lynx susolanus, 51
 pardinus, 229
 rufus, 230
 Lynx, Canada, 51
 Iberian, 229

- Lysichitum americanum*, 172
Lythrum salicaria, 307
- MacKinnon, C. and A. Kennedy. An Observation of the Spring 2006 Migration of Black Scoter *Melanitta nigra*, in Northumberland Strait, Interrupted by the Confederation Bridge, New Brunswick – Prince Edward Island, 233
- Madtom, Tadpole, 424
Mahonia nervosa, 171
Maianthemum canadense, 355
- Maine, Lady Crabs, *Ovalipes ocellatus*, in the Gulf of. 106
Malacosoma distria, 433
Mallard, 6
Mallon, J.C. and R.B. Holmes. A Reevaluation of Sexual Dimorphism in the Postcranium of the Chasmosaurine Ceratopsid *Chasmosaurus belli* (Dinosauria: Ornithischia), 403
- Mallory, F.F., 57
Malus pumila, 355
- Manitoba, Northern Range Expansion and Invasion by the Common Carp, *Cyprinus carpio*, of the Churchill River System in, 83
- Manitoba, Probable Black Bear, *Ursus americana*, Retrieval of an Elk, *Cervus elaphus*, Carcass from a Small Lake in Riding Mountain National Park, 110
- Maple, 226
 Big Leaf, 11,180
 Douglas, 171
 Red, 299
 Sugar, 299
 Vine, 11,171,348
- Marczak, L.B., J.S. Richardson, and M.-C. Classen. Life History Phenology and Sediment Size Association of the Dragonfly *Cordulegaster dorsalis* (Odonata: Cordulegasteridae) in an Ephemeral Habitat in Southwestern British Columbia, 347
- Marine Turtle Newsletter*, 132,258,392,502
- Marten, 62
 American, 100
 Newfoundland, 50
 Pine, 52
- Marten, *Martes americana atrata*, First Record of the Southern Red-Backed Vole, *Clethrionomys gapperi*, in Newfoundland: Implications for the Endangered Newfoundland, 50
- Marten, *Martes americana*, in Western Alberta Boreal Forests, Winter Habitat Use by American, 100
- Martes americana*, 62,100
americana atrata, 50
martes, 52
pennanti, 62,101,229
- Martes americana atrata*, First Record of the Southern Red-Backed Vole, *Clethrionomys gapperi*, in Newfoundland: Implications for the Endangered Newfoundland Marten, 50
- Martes americana*, in Western Alberta Boreal Forests, Winter Habitat Use by American Marten, 100
- Mary, Blue-eyed, 180
Maunder, J.E., 239
McCarthy, J., Review by, 387
McCorquodale, D., Review by, 486
McNall, M.C.E., 421
- Meadow-foxtail, Carolina, 164
Meadowhawk, Autumn, 417
 Band-winged, 417
 Black, 417
 Cherry-faced, 417
 Saffron-winged, 417
 White-faced, 417
- Mech, L.D. Urine-marking and Ground-scratching by Free-ranging Arctic Wolves, *Canis lupus arctos*, in Summer, 466
- Meganyctiphanes norvegica*, 96
Megaptera novaeangliae, 95
Megascops asio, 289
Megascops asio, Population in an Apple-Producing Region of Southern Quebec, First Observations of an Eastern Screech-Owl, 289
- Meikle, D.B., 192
Melampyrum lineare, 357
lineare var. *lineare*, 170
- Melanitta* spp., 232
nigra, 233
- Melanitta nigra*, in Northumberland Strait, Interrupted by the Confederation Bridge, New Brunswick – Prince Edward Island, An Observation of the Spring 2006 Migration of Black Scoter, 233
- Melanitta* spp., Migrations Interrupted by Confederation Bridge: An Update, Scoter, 232
- Melanostoma*, 19
mellinum, 17
- Melanotus castanipes*, 19
Melanopyrum lineare, 355
- Meles meles*, 52
- Melic, Harford's, 180
Melica harfordii, 180
Melilotus spp., 337
Meliscaeva cincitellam 17
- Mennell, R.L., 87
Mephitis mephitis, 229,342,452
Mephitis mephitis, on Duck Nests in Saskatchewan, Summer Movements and Impact of Individual Striped Skunks, 342
- Merganser, Red-breasted, 109
Mergus serrator, 109
- Merlin, 46
Messier, F., 342
Metynnis sp., 424
- Mice, *Peromyscus leucopus*: The Effects of Forest Patch Size, Edge and Surrounding Vegetation Type, Annual Variation in Habitat Use by White-footed, 192
- Micropterus dolomieu*, 421
salmoides, 422
- Microtus* sp., 52,291
pennsylvanicus, 264,294,332,436
pennsylvanicus terraenovae, 50
- Milk-vetch, Timber, 176
Mimulus guttatus, 158
- Mineau, P., 289
Miner's-lettuce, 180
Mink, 51,62
- Minnesota and Ontario, Lake Sturgeon, *Acipenser fulvescens*, Movements in Rainy Lake, 71
- Minnow, Fathead, 421
Misgurnus anguillicaudatus, 424
- Mitchell, S., Review by, 490
Mitrow, G., 428
Mollibdella, 444
grandis, 444
Mollugo verticillata, 355
Molothrus ater, 294

- Monkey-flower, Yellow, 158
Monoclonius belli, 403
Monodon monoceros, 457
Monodon monoceros, to Killer Whale, *Orcinus orca*, Attacks in the Eastern Canadian Arctic, Reactions of Narwhals, 457
Monopterus sp., 424
Monotropa hypopithys, 355
Montia parvifolia, 158
 Montia, Small-leaved, 158
Mooreobdella, 449
 Moose, 51,205,313,367
Morone saxatilis, 422
 Morton, A. and R. Williams. Response of the Sea Louse *Lepeophtheirus salmonis* Infestation Levels on Juvenile Wild Pink, *Oncorhynchus gorbuscha*, and Chum, *O. keta*, Salmon to Arrival of Parasitized Wild Adult Pink Salmon, 199
 Mosquitofish, 421
 Western, 422
 Moss, Heron's-bill, 180
 Lanky, 171
 Oregon Beaked, 180
 Step, 171
 Mouse, Deer, 50,57,332
 House, 51
 Meadow Jumping, 332
 White-footed, 192
 Mousetail, Tiny, 164
Mus musculus domesticus, 51
 Muskox, 466
 Muskrat, 51
Mustela ermina, 62
 erminea richardsonii, 51
 vison, 51,62
Myleus sp., 424
Myodes californicus, 332
 gapperi, 331
 glareolus, 332
 rufocanus, 332
 rutilus, 331
Myodes gapperi, in the Yukon, First Records of the Southern Red-backed Vole, 331
Myosotis stricta, 320
Myosurus minimus, 164
Myotis evotis, 39
 keenii, 40
 lucifugus, 39
 lucifugus lucifugus, 51
 septentrionalis, 39,51,332
 volans, 39
Myotis septentrionalis, in the Yukon Territory, First Records of the Northern Long-eared Bat, 39
Myoxocephalus thompsonii, 480
Myoxocephalus thompsonii, in Northeastern Alberta, A New Record of Deepwater Sculpin, 480
Myrica gale, 172,240
 pensylvanica, 355
Myxocyprinus asiaticus, 424

 Nagorsen, D.W., 39,331
 Narwhal, 457
 Narwhals, *Monodon monoceros*, to Killer Whale, *Orcinus orca*, Attacks in the Eastern Canadian Arctic, Reactions of, 457
 Neely, D.A., 480

Neoascia distincta, 17
Neohypdonus tumescens, 19
Nephelopsis, 449
 Neuhold, J., 188
 Neville, J.T., 50
 New Brunswick, Eastern Canada, MtDNA Analyses on Hair Samples Confirm Cougar, *Puma concolor*, Presence in Southern, 438
 New Brunswick, Effects of Timber Harvesting and Plantation Development on Cavity-nesting Birds in, 298
 New Brunswick in Late Summer and Autumn, Use of Salt-marsh by Dragonflies (Odonata) in the Baie des Chaleurs Region of Quebec and, 413
 New Brunswick – Prince Edward Island, An Observation of the Spring 2006 Migration of Black Scoter *Melanitta nigra*, in Northumberland Strait, Interrupted by the Confederation Bridge, 233
 Newfoundland: Implications for the Endangered Newfoundland Marten, *Martes americana atrata*, First Record of the Southern Red-Backed Vole, *Clethrionomys gapperi*, in, 50
 Newfoundland Marten, *Martes americana atrata*, First Record of the Southern Red-Backed Vole, *Clethrionomys gapperi*, in Newfoundland: Implications for the Endangered, 50
 Newt, Roughskin, 90
 Nine-bark, 158
 Noel, L.E., M.K. Butcher, M.A. Cronin, and B. Streever. Assessment of Effects of an Oil Pipeline on Caribou, *Rangifer tarandus granti*, Use of Riparian Habitats in Arctic Alaska, 2001–2003, 323
 Nol, E., H. Douglas, and W.J. Crins. Responses of Syrphids, Elaterids and Bees to Single-tree Selection Harvesting in Algonquin Provincial Park, Ontario, 15
 North America Distribution and Additional Notes on Species Description, The Leech *Haemopsis lateromaculata* (Hirudinea: Haemopidae): Its, 443
 Northwest Territories, Canada, Extension of Coyote, *Canis latrans*. Breeding Range in the, 67
Notropis hudsonius, 422
Noturus gyrinus, 424
 Nova Scotia, An Analysis of the Vascular Flora of Annapolis Heathlands, 351
 Nova Scotia, Bald Eagle, *Haliaeetus leucocephalus*, Preying on Maritime Garter Snake, *Thamnophis sirtalis pallidulus*, on Cape Breton Island, 477
 Nova Scotia, Temporal Variability of Cetaceans near Halifax, 93
 Novakowski 1925–2004, A Tribute to Nicholas Stephen, 370
Nuphar variegata, 240
 Nuthatch, 290
 Red-breasted, 302
 White-breasted, 302

 O'Neill, J., Reviews by, 120,485,487,498
 Oak, 226
 Garry, 150,154,157,180
 Oat, 343
 Oatgrass, One-spike, 164,184
 Oceanspray, 171
Odocoileus sp., 68
 heminous, 40,314
 hemionus sitkensis, 61
 virginianus, 29,40,64,68,209,313,367
 Oldham, M.J., C.E. Goodwin, and S. Blaney. Bur Buttercup, *Ranunculus testiculatus*, New to Eastern Canada, 319

- Olson, S.L. Bald Eagle, *Haliaeetus leucocephalus*, Preying on Maritime Garter Snake, *Thamnophis sirtalis pal-lidulus*, on Cape Breton Island, Nova Scotia, 477
- Omble de fontaine, 238
- Oncorhynchus clarki lewisi*, 421
gorbuscha, 199,421
keta, 199,421
kisutch, 421
mykiss, 90,421
mykiss aguabonita, 422
nerka, 421
tshawytscha, 421
- Oncorhynchus gorbuscha*, and Chum, *O. keta*, Salmon to Arrival of Parasitized Wild Adult Pink Salmon, Response of the Sea Louse *Lepeophtheirus salmonis* Infestation Levels on Juvenile Wild Pink, 199
- Oncorhynchus keta*, Salmon to Arrival of Parasitized Wild Adult Pink Salmon, Response of the Sea Louse *Lepeophtheirus salmonis* Infestation Levels on Juvenile Wild Pink, *Oncorhynchus gorbuscha*, and Chum, 199
- Ondatra zibethicus obscurus*, 51
- Onion, Nodding, 154
Slim-leaf, 160
- Ontario, A New Record Size Wolf, *Canis lupus*, Group for, 367
- Ontario, in 2001, Observations on the Nesting of the Northern Hawk Owl, *Surnia ulula*, near Timmins and Iroquois Falls, Northeastern, 433
- Ontario, Lake Sturgeon, *Acipenser fulvescens*, Movements in Rainy Lake, Minnesota and, 71
- Ontario, Late-born Elk, *Cervus elaphus*, Calf Observed Near Bancroft, 188
- Ontario Natural Heritage Information Centre Science and Information Newsletter 11(1) Winter 2006, 132
- Ontario, Responses of Syrphids, Elaterids and Bees to Single-tree Selection Harvesting in Algonquin Provincial Park, 15
- Ontario, with Some Notes on Nesting Behaviour, New Nesting Records of the Le Conte's Sparrow, *Ammospiza leconteii*, from Northeastern, 22
- Onychogomphus uncatas*, 350
- Opossum, Virginia, 229,452
- Orcinus orca*, 457
- Orcinus orca*, Attacks in the Eastern Canadian Arctic, Reactions of Narwhals, *Monodon monoceros*, to Killer Whale, 457
- Oreamnos americanus*, 314
- Oregon-grape, Dull, 171
- Oreochromis* sp., 424
- Orr, J.R., 457
- Orthasterias koehleri*, 364
- Orthocarpus barbatus*, 137
- Oryzopsis asperifolia*, 358
- Osmia*, 180
atriventris, 19
- Osprey, 236
- Osprey, *Pandion haliaetus*, Depredates Common Eider, *Somateria mollissima*, Duckling, 236
- Ottawa Field-Naturalists' Club Awards for 2005, The, 504
- Ottawa Field-Naturalists' Club 10 January 2006, Minutes of the 127th Annual Business Meeting of The, 393
- Otter, 51
River, 62,235
- Otter, *Lontra canadensis*, Captured on the Northeastern Coast of Alaska, First Record of a River, 235
- Ovalipes ocellatus*, 106
- Ovalipes ocellatus*, in the Gulf of Maine, Lady Crabs, 106
- Ovibos moschatus*, 466
- Ovis canadensis*, 314
dalli, 205
- Owl, Barred, 290,302,
Great Horned, 290
Long-eared, 295
Northern Hawk, 433
Northern Saw-whet, 294,303
Saw-whet, 302
- Owl, *Surnia ulula*, near Timmins and Iroquois Falls, Northeastern Ontario, in 2001, Observations on the Nesting of the Northern Hawk, 433
- Owl-clover, Grand Coulee, 137
- Ozotocerus bezarticus*, 64
- Pacu, Red-bellied, 421
Silver, 421
- Pacu, *Piaractus* cf. *P. brachypomus*, in British Columbia, First Records of the Yellow Bullhead, *Ameiurus natalis*, a Loricariid Catfish, *Panaque suttonorum*, and a Silver, 421
- Pan troglodytes*, 264
- Panaque* sp., 424
nigrolineatus, 424
suttonorum, 421
- Panaque, Blue-eyed, 423
Royal, 424
- Panaque suttonorum*, and a Silver Pacu, *Piaractus* cf. *P. brachypomus*, in British Columbia, First Records of the Yellow Bullhead, *Ameiurus natalis*, a Loricariid Catfish, 421
- Pandalus platyceros*, 364
- Pandion haliaetus*, 236
- Pandion haliaetus*, Depredates Common Eider, *Somateria mollissima*, Duckling, Osprey, 236
- Panicum virgatum*, 226
- Pantala* spp., 418
flavescens, 416
- Panthera leo*, 52
- Paquet, P.C., 61
- Parasyrphus* sp., 17
semiinterruptus, 17
- Passer domesticus*, 43,264
- Passer domesticus*, in Canada's Maritime Provinces, Recent Declines of House Sparrows, 43
- Patrikeev, M. New Nesting Records of the Le Conte's Sparrow, *Ammospiza leconteii*, from Northeastern Ontario, with Some Notes on Nesting Behaviour, 22
- Patrikeev, M. Observations on the Nesting of the Northern Hawk Owl, *Surnia ulula*, near Timmins and Iroquois Falls, Northeastern Ontario, in 2001, 433
- Paxistima myrsinites*, 169
- Pea, 343
- Pennant, Calico, 417
- Penny, G., Reviews by, 117,246
- Penny, J.L., 163,175,179,183
- Penny, J.L. A Tribute to George Wayne Douglas 1938 – 2005, 135
- Pentacratops*, 403
- Perca flavescens*, 422
- Perch, Yellow, 422
- Percopsis omiscomaycus*, 422
- Percymoorensis*, 444

- caballeroi*, 444
kingi, 444
lateromaculata, 444
marmorata, 444
terrestris, 444
Peromyscus sp., 294
leucopus, 192
maniculatus, 50,57,332
Peromyscus leucopus: The Effects of Forest Patch Size, Edge and Surrounding Vegetation Type, Annual Variation in Habitat Use by White-footed Mice, 192
Phacelia linearis, 176
Phacelia, Thread-leaved, 176
Phenacomys ungava, 332
Phoca spp., 466
hispidula, 464
vitulina, 62
Phocoena phocoena, 95
Phoebe, Eastern, 294
Phragmites australis, 307
australis subspecies *americanus*, 307
australis subspecies *australis*, 307
Phragmites australis subspecies *australis*, in the Southern Ottawa District, Recent Invasion, Current Status and Invasion Pathway of European Common Reed, 307
Physalis alkekengi, 355
Physocarpus capitatus, 158
Piaractus sp., 424
brachypomus, 421
Piaractus brachypomus, in British Columbia, First Records of the Yellow Bullhead, *Ameiurus natalis*, a Loricariid Catfish, *Panaque suttonorum*, and a Silver Pacu, *Piaractus* cf., 421
Piaractus cf. *P. brachypomus*, in British Columbia, First Records of the Yellow Bullhead, *Ameiurus natalis*, a Loricariid Catfish, *Panaque suttonorum*, and a Silver Pacu, 421
Picard, I., 239
Picea sp., 20,110,236,238,431
abies, 299
engelmannii, 100
glauca, 100,299,314,331,355
mariana, 22,100,240,299,314,331,355,433
rubens, 299,355,440
sitchensis, 11
Picoides arcticus, 303
pubescens, 303
villosus, 294,303
Pigeon, 57
Pike, Northern, 421,480
Pimephales promelas, 421
Pine, 290
Jack, 299,433
Loblolly, 226
Lodgepole, 100,148,170,314
New Jersey, 351
Pinyon, 32
Ponderosa, 164,176,184
Red, 351
Scots, 320
Western White, 172
White, 20
Pinus sp., 290
banksiana, 299,355,433
contorta, 100,170,314
contorta var. *contorta*, 148
edulis, 32
monticola, 172
ponderosa, 164,176,184
resinosa, 351
strobilus, 20,355
sylvestris, 298,320,355
taeda, 226
Pipiza femoralis, 17
Piranha, 421
Plagiobothrys scouleri, 158,164
Plantago lanceolata, 154
Plantain, Ribwort, 154
Plathemis lydia, 417
Platycheirus, 19
confusus, 17
obscurus, 17
Platygobio gracilis, 422
Pleco, Royal, 424
Plectritis congesta, 154,158
Pleurozium schreberi, 169,358
Poa annua, 320
bulbosa, 320
compressa, 356
pratensis, 160,356
Podiceps auritus, 109
grisegena, 109
Poecile atricapillus, 294,303
hudsonicas, 303
Poecilia reticulata, 422
Polygala sanguinea, 357
Polygonella articulata, 360
Polygonum sp., 356
aviculare, 164
polygaloides ssp. *confertiflorum*, 164
Polytrichum commune, 358
juniperinum, 358
Pomoxis nigromaculatus, 422
Pondlily, Yellow, 240
Popcornflower, Scouler's, 158,164
Poplar, 433
Balsam, 22
Tulip, 226
Populus, 428,433
balsamifera, 22
deltoides, 226
grandidentata, 356
tremuloides, 22,100,314,343,356
Porpoise, Harbour, 95
Potamogeton pectinatus, 416
Potentilla argentea, 356
canadensis, 356
pacifica, 214
recta, 356
simplex, 356
Poulin, R., Reviews by, 128,253
Powell, T., 339,331
Prairie Dog, 36
Black-tailed, 31
Primrose, Dense-spike Evening, 160
Prince Edward Island, An Observation of the Spring 2006 Migration of Black Scoter *Melanitta nigra*, in Northumberland Strait, Interrupted by the Confederation Bridge, New Brunswick -, 233
Procyon lotor, 57,225,290,342,452
Procyon lotor, Occurrence Through the Use of Microhabitat Variables, Predicting Raccoon, 225

- Pronghorn, 210
Prosartes hookeri var. *oregana*, 171
 Proulx, G. Winter Habitat Use by American Marten, *Martes americana*, in Western Alberta Boreal Forests, 100
Prunus pennsylvanica, 50,356
 serotina, 356
 susquehanae, 360
 virginiana, 356
Pseudacris maculata, 88
 septentrionalis, 90
 triseriata maculata, 88
 triseriata septentrionalis, 88
Pseudoroegneria spicata, 176
Pseudotsuga menziesii, 11,148,158,164,169,176,180,184,348
Psilocarphus brevissimus var. *brevissimus*, 163
 brevissimus var. *multiflorus*, 163
 elator, 163
 tenellus var. *tenellus*, 163
Psilocarphus brevissimus var. *brevissimus*, in Canada, Conservation Evaluation of the Pacific Population of Dwarf Woolly-heads, 163
 Psoralea, Lance-leaved, 336
Psoralidium lanceolatum, 336
Pteridium aquilinum var. *latiusculum*, 357
 aquilinum, 172
 aquilinum var. *latiusculum*, 356
Pueraria lobata, 226
Puma concolor, 40,438,476
 concolor cougar, 438
Puma concolor, Presence in Southern New Brunswick, Eastern Canada, MitDNA Analyses on Hair Samples Confirm Cougar, 438
 Pumpkinseed, 422
 Pussytoes, Stoloniferous, 183
 Pussytoes, *Antennaria flagellaris*, in Canada, Conservation Evaluation of Stoloniferous, 183
Pycnopodia helianthoides, 364
Pygocentrus sp., 421
 nattereri, 424
Pyloodictis olivaris, 424
- Quebec and New Brunswick in Late Summer and Autumn, Use of Saltmarsh by Dragonflies (Odonata) in the Baie des Chaleurs Region of, 413
 Québec, Extension de l'aire de distribution de l'Umbre de vase, *Umbra limi*, dans le nord-est du, 238
 Quebec, First Observations of an Eastern Screech-Owl, *Megascops asio*, Population in an Apple-Producing Region of Southern, 289
 Quebec, Herpetological Survey 2006 Atlas of Amphibians and Reptiles of, 258
Quercus spp., 226
 garryana, 150,154,157
 rubra, 356
 Quillwort, Nuttall's, 160
 Quinoa, 340
Quiscalus quiscula, 294
- Rabbit, Cottontail, 475
 Rabbit-brush, Common, 184
 Raccoon, 57,225,290,342,452
 Raccoon, *Procyon lotor*, Occurrence Through the Use of Microhabitat Variables, Predicting, 225
Rana clamitans, 294
 luteiventris, 88
 septentrionalis, 239
 sylvatica, 90
Rana septentrionalis, in Southeastern Labrador, The Mink Frog, 239
Rangifer tarandus, 313
 tarandus caribou, 313,367
 tarandus granti, 205,323
 tarandus terraenovae, 51
Rangifer tarandus granti, Use of Riparian Habitats in Arctic Alaska, 2001–2003, Assessment of Effects of an Oil Pipeline on Caribou, 323
Rangifer tarandus, Winter Ranges in Westcentral Alberta, Pack Size of Wolves, *Canis lupus*, on Caribou, 313
Ranunculus falcatus, 319
 testiculatus, 319
Ranunculus testiculatus, New to Eastern Canada, Bur Buttercup, 319
Raphanus raphanistrum, 356
 Rat, 478
 Brown, 264
 Norway, 51,264,475
 Rat Poison Kills a Pack of Eastern Coyotes, *Canis latrans*, in an Urban Area, 478
 Ratfish, Spotted, 363
 Ratfish, *Hydrolagus colliiei*, and Scavenger Activity on Tethered Carrion in Subtidal Benthic Communities off Western Vancouver Island, Pacific Hagfish, *Eptatretus stoutii*, Spotted, 363
Rattus norvegicus, 264,475
 norvegicus norvegicus, 51
 Raven, Common, 109,110
 Redcedar, Western, 11,170,348
 Redhead, 109
 Reed, Common, 307
 European Common, 307
 Reed, *Phragmites australis* subspecies *australis*, in the Southern Ottawa District, Recent Invasion, Current Status and Invasion Pathway of European Common, 307
 Reimchen, T.E., 61,363
Rhingia nasica, 17
Rhizobium, 154,159
Rhodeus sp., 424
Rhododendron albiflorum, 169
 californicum, 169
 canadense, 356
 lapponicum, 169
 macrophyllum, 169
 Rhododendron, Pacific, 169
 White-flowered, 169
Rhododendron macrophyllum, in Canada, Conservation Evaluation of Pacific Rhododendron, 169
 Rhododendron, *Rhododendron macrophyllum*, in Canada, Conservation Evaluation of Pacific, 169
Rhytidadelphus loreus, 171
 Rice-grass, Indian, 336
 Richards, N.L., P. Mineau, D.M. Bird, P. Wery, J. Larivée, and J. Duffe. First Observations of an Eastern Screech-Owl, *Megascops asio*, Population in an Apple-Producing Region of Southern Quebec, 289
 Richardson, J.S., 347
Richardsonius balteatus, 421
 Ringlet, Maritime, 419
 Roberts, J., 421
 Robin, American, 294
 Rocksole, 364

- Ronconi, R.A. Predicting Bird Oiling Events at Oil Sands Tailings Ponds and Assessing the Importance of Alternate Waterbodies for Waterfowl: a Preliminary Assessment, 1
- Ronquil, Northern, 364
Ronquilus jordani, 364
- Rosa carolina*, 353
 nutkana, 158
 virginiana, 353
- Rosatte, R.C. and J. Neuhold. Late-born Elk, *Cervus elaphus*, Calf Observed Near Bancroft, Ontario, 188
- Rose, Nootka, 158
- Rosebay, Lapland, 169
- Rubus* sp., 236
 alleghehiensis, 356
 arenicola, 353
 hispidus, 353
 idaeus var. *strigosus*, 18
 particeps, 359
 parviflorus var. *parviflorus*, 171
 spectabilis, 11,348
 vermontanus, 356
- Rudbeckia hirta*, 356
- Rumex acetosella*, 356
- Runck, A.M., 331
- Ruppia maritima*, 414
- Russian-thistle, 337
- Ryan, M., 147,153
- Rye, 343
 Canada Wild, 336
- Sagebrush, Big, 164,184
 Hoary, 336
- Salal, 11,172
- Salamander, Long-toed, 90
 Northwestern, 90
- Salix* sp., 158,314
 exigua ssp. *interior*, 336
 humilis, 356
- Salmo gairdneri*, 199
 salar, 199,413,422
 trutta, 199,422
 trutta trutta, 199
- Salmon, Atlantic, 199,413,422
 Chinook, 422
 Chum, 199,422
 Pacific, 421
 Sockeye, 422
 Wild Pink, 199
- Salmon, Response of the Sea Louse *Lepeophtheirus salmonis* Infestation Levels on Juvenile Wild Pink, *Oncorhynchus gorbuscha*, and Chum, *O. keta*, Salmon to Arrival of Parasitized Wild Adult Pink, 199
- Salmonberry, 11,348
- Salmonella*, 46
- Salsola tragus*, 337
- Salvelinus alpinus*, 199,235,422
 confluentus, 422
 fontinalis, 238,422
 malma, 422
 namaycush, 422,481
- Sander vitreus*, 421
- Sandlance, 96
- Sandwort, Thread-leaved, 184
- Sapin baumier*, 238
- Sapsucker, Yellow-bellied, 302
- Sarotherodon* sp., 424
- Saskatchewan and the First Saskatchewan Records of *Amelanchier sanguinea*, Regional Variation in *Amelanchier* in the Whitewood area of Southeastern, 428
- Saskatchewan Records of *Amelanchier sanguinea*, Regional Variation in *Amelanchier* in the Whitewood area of Southeastern Saskatchewan and the First, 428
- Saskatchewan, Summer Movements and Impact of Individual Striped Skunks, *Mephitis mephitis*, on Duck Nests in, 342
- Saskatoon, 176
- Sayornis phoebe*, 294
- Scaup, 6
 Greater, 109
 Lesser, 5
- Schaefer, R.L., 192
- Schmiegelow, F.K.A., 313
- Scirpus* sp., 214,295,417
 americanus, 213
 maritimus, 214
 paludosus, 215
- Sciurus carolinensis*, 10,264
 vulgaris, 10
- Sciurus carolinensis*, on Douglas's Squirrels, *Tamiasciurus douglasii*, in Vancouver, British Columbia, A Test of Interspecific Effects of Introduced Eastern Grey Squirrels, 10
- Scorpion-grass, Blue, 320
- Scoter, 232
 Black, 233
- Scoter *Melanitta nigra*, in Northumberland Strait, Interrupted by the Confederation Bridge, New Brunswick – Prince Edward Island, An Observation of the Spring 2006 Migration of Black, 233
- Scoter, *Melanitta* spp., Migrations Interrupted by Confederation Bridge: An Update, 232
- Screech-Owl, Eastern, 289
- Screech-Owl, *Megascops asio*, Population in an Apple-Producing Region of Southern Quebec, First Observations of an Eastern, 289
- Sculpin, Deepwater, 480
 Prickly, 425
 Roughback, 364
- Sculpin, *Myoxocephalus thompsonii*, in Northeastern Alberta, A New Record of Deepwater, 480
- Seal, 466
 Harbour, 62
 Ringed, 464
- Seburn, D., Review by, 248
- Sedge, Awl-fruited, 22
 Few-seeded, 22
 Foothill, 160
 Green-sheathed, 160
 Lyngbei, 213
- Sedum acre*, 356
 spathifolium, 154
- Selatosomus pulcher*, 19
- Seminatrix pygaea*, 477
- Sericomyia chrysotoxoides*, 17
- Serrasalmus* sp., 421
- Shad, American, 422
- Sheep, Bighorn, 314
 Dall, 205
- Shepherdia canadensis*, 172

- Shiner, Redside, 421
 Spottail, 422
- Shoveler, Northern, 5
- Shrew, Dusky, 332
 Masked, 50,332
 Northern Short-tailed, 436
 Pygmy, 332
 Short-tailed, 294
- Shrimp, Spot, 364
- Silene antirrhina*, 356
- Simard, P., J.L. Lawlor, and S. Gowans. Temporal Variability of Cetaceans near Halifax, Nova Scotia, 93
- Sisyrinchium arenicola*, 359
fuscatum, 357
- Sitta* sp., 290
canadensis, 303
carolinensis, 303
- Skeleton-weed, 336
- Skimmer, Four-spotted, 417
 Twelve-spotted, 417
 Widow, 417
- Skunk, Santa Cruz Island Spotted, 210
 Striped, 229,342,452
- Skunks, *Mephitis mephitis*, on Duck Nests in Saskatchewan, Summer Movements and Impact of Individual Striped, 342
- Slough, B.G., 39,331
- Slough, B.G. and R.L. Mennell. Diversity and Range of Amphibians of the Yukon Territory, 87
- Snake, Black Swamp, 477
 Maritime Garter, 477
- Snake, *Thamnophis sirtalis pallidulus*, on Cape Breton Island, Nova Scotia, Bald Eagle, *Haliaeetus leucocephalus*, Preying on Maritime Garter, 477
- Snow, D.P., 50
- Solidago* spp., 226
bicolor, 356
canadensis, 356
graminifolia, 356
juncea, 356
nemorialis, 356
puberula, 356
- Somateria mollissima*, 233,236
- Somateria mollissima*, Duckling, Osprey, *Pandion haliaetus*, Depredates Common Eider, 236
- Somatochlora elongata*, 415
kennedyi, 417
- Soopolallie, 172
- Sorex* sp., 294
cinereus, 50,332
cinereus acadicus, 51
hoyi, 332
monticolus, 332
- Soybean, 226
- Sparganium angustifolium*, 240
- Sparrow, House, 43,264
 Le Conte's, 22
- Sparrow, *Ammospiza leconteii*, from Northeastern Ontario, with Some Notes on Nesting Behaviour, New Nesting Records of the Le Conte's, 22
- Sparrows, *Passer domesticus*, in Canada's Maritime Provinces, Recent Declines of House, 43
- Spartina*, 414
alterniflora, 414
patens, 414
pectinata, 356,416
- Speedwell, American, 158
 Spring, 320
- Spermophilus* spp., 31
- Sphaerophoria novaeangliae*, 17
- Sphagnum* sp., 172,440
- Sphagina brachygaster*, 17
campanulata, 17
flavomaculata, 17
keeniana, 17
- Sphyraena barracuda*, 241
borealis, 241
guachancho, 241
- Sphyraena barracuda* from Canada, First Record of the Great Barracuda, 241
- Sphyrapicus varius*, 303
- Spilogale gracilis amphiala*, 210
- Spiraea alba*, 356
- Spiranthes lacera*, 356
- Spray, Ocean, 158
- Spreadwing, Elegant, 417
 Lyre-tipped, 417
 Northern, 417
 Slender, 417
 Spotted, 417
 Sweetflag, 417
- Spruce, 20,110,236,431
 Black, 22,100,240,299,314,331,433
 Englemann, 100
 Norway, 299
 Red, 299,440
 Sitka, 11
 White, 100,299,314,331
- Spruce-fir, 331
- Spurge, Leafy, 337
- Squirrel, 295
 Douglas's, 10
 Eastern Grey, 10
 European Red, 10
 Gray, 264
 Ground, 31
 Red, 10,51,57
- Squirrels, *Sciurus carolinensis*, on Douglas's Squirrels, *Tamiasciurus douglasii*, in Vancouver, British Columbia, A Test of Interspecific Effects of Introduced Eastern Grey, 10
- Squirrels, *Tamiasciurus douglasii*, in Vancouver, British Columbia, A Test of Interspecific Effects of Introduced Eastern Grey Squirrels, *Sciurus carolinensis*, on Douglas's, 10
- Star, Long-rayed, 364
 Sunflower, 364
- Starling, 264
 European, 109,290
- Steinhilber, M. and D.A. Neely. A New Record of Deepwater Sculpin, *Myoxocephalus thompsonii*, in Northeastern Alberta, 480
- Stellaria graminea*, 356
pallida, 320
- Stickleback, 421
 Brook, 422
 Threespine, 240,422
- Stoncrop, Lance-leaved, 154
- Strauss, E.G., 263,478
- Strawberry, 360

- Streever, B., 323
Strix varia, 290,303
 Sturgeon, Lake, 71
 White, 422
 Sturgeon, *Acipenser fulvescens*, Movements in Rainy Lake,
 Minnesota and Ontario, Lake, 71
Sturnus vulgaris, 109,264,290
Stylasterias forriei, 364
 Sucker, Longnose, 422,481
 White, 422
 Sunflower, Prairie, 336
Surnia ulula, 433
Surnia ulula, near Timmins and Iroquois Falls, Northeastern
 Ontario, in 2001, Observations on the Nesting of the
 Northern Hawk Owl, 433
 Swallow, Tree, 302
 Swan, Trumpeter, 220
 Sweet-clover, 337
 Swordtail, 422
Sylvilagus spp., 165
 floridanus, 475
 nuttallii, 165
Sympetrum sp., 416
 costiferum, 415
 danae, 413
 internum, 415
 obtrusum, 415
 semicinctum, 417
 vicinum, 415
Symphytotrichum lateriflour, 356
Synhalonia, 180
Syrphus rectus, 17
 Szumylo, D.-L.M., 263

Tachycineta bicolor, 303
 Tamarack, 314
Tamias striatus, 264,295
 striatus lysteri, 51
Tamiasciurus sp., 295
 douglasii, 10
 hudsonicus, 10,57
 hudsonicus ungavensis, 51
Tamiasciurus douglasii, in Vancouver, British Columbia, A
 Test of Interspecific Effects of Introduced Eastern
 Grey Squirrels, *Sciurus carolinensis*, on Douglas's
 Squirrels, 10
Tanichthys albonubes, 424
Taraxacum officinale, 320,358
Taricha granulosa, 90
Taxidea taxus, 31,209,342
 Tea-berry, Western, 171
 Tea, Labrador, 172
 Tegler, B., 496
 Tegler, B., Review by, 252
Temnostoma balyras, 17
 Tench, 422
Thamnophis sirtalis pallidulus, 477
Thamnophis sirtalis pallidulus, on Cape Breton Island, Nova
 Scotia, Bald Eagle, *Haliaeetus leucocephalus*, Prey-
 ing on Maritime Garter Snake, 477
 Thiel, R.P. Conditions for Sexual Interactions Between Wild
 Grey Wolves, *Canis lupus*, and Coyotes, *Canis latrans*,
 27
 Thimbleberry, 171
 Thrasher, Brown, 294

Thuja occidentalis, 300
 plicata, 11,170,348
Thymallus arcticus, 422
Tilapia sp., 422
 Tilapia, 422
Tinca tinca, 422
 Toad, American, 240
 Western, 87
 Toadflax, Dalmation, 176
 Tokaryk, T., Reviews by, 127,485
Tonella tenella, 137,179
 Tonella, Small-flowered, 137,179
Tonella tenella, in Canada, Conservation Evaluation of the
 Small-flowered Tonella, 179
 Tonella, *Tonella tenella*, in Canada, Conservation Evaluation
 of the Small-flowered, 179
Torilis japonica, 180
Toxomerus geminatus, 17
Toxostoma rufum, 294
Tramea spp., 418
 Trefoil, Bird's-foot, 157
 Bog Bird's-foot, 153,157
 Seaside Bird's-foot, 153,157
 Trefoil, *Lotus formosissimus*, in Canada, Conservation Eval-
 uation of the Seaside Birds-foot, 153
 Trefoil, *Lotus pinnatus*, in Canada, Conservation Evaluation
 of the Bog Bird's-foot, 157
 Tremblay, E., 438
Trientalis borealis, 356
Trifolium arvense, 357
 procumbens, 357
Triglochin maritimum, 214
Tringa flavipes, 5
Triteleia hyacinthina, 158
 Triteleia, White, 158
Troglodytes troglodytes, 303
 Trout, Brook, 422
 Brown, 422
 California Golden, 422
 Lake, 481
 Rainbow, 90,199,421
 Sea, 199
 Troutperch, 422
Tsuga canadensis, 290
 heterophylla, 11,170,348
Turdus migratorius, 294
Tursiops truncatus, 97
 Twayblade, Heart-leaved, 170
 Twinflower, 172
Typha latifolia, 214

Umbra limi, 238
Umbra limi, dans le nord-est du Québec, Extension de l'aire
 de distribution de l'Umbre de vase, 238
Urocyon littoralis, 210
Urosalpinx cinera, 106
Ursus americanus, 57,68,110,209,314
 americanus hamiltoni, 51
 arctos, 57,314
Ursus americanus, Retrieval of an Elk, *Cervus elaphus*, Car-
 cass from a Small Lake in Riding Mountain National
 Park, Manitoba, Probable Black Bear, 110
Ursus americanus L., Long-range Homing by an Adult Female
 Black Bear, 57

- Vaccinium alaskense*, 172
angustifolium, 357
angustifolium X *corymbosum*, 357
myrtilloides, 357
ovatum, 348
parvifolium, 11,172
scoparium, 172
- Vander Kloet, S.P., 351
- Varden, Dolly, 422
- Vasseur, L., 438
- Velvet-grass, Common, 154
- Vernalgrass, Sweet, 148,154,160
- Veronica beccabunga* ssp. *americana*, 158
officinalis, 357
verna, 320
- Vetch, Common, 180
- Viburnum nudum* var. *cassinoides*, 357
- Vicia* sp., 157
cracca, 357
sativa, 180
tetrasperma, 357
- Viola sagittata* var. *ovata* f. *glabrata*, 360
sagittata var. *ovata*, 357
- Violette, V., 236
- Vole, Eastern Heather, 332
Meadow, 50,264,294,332,436
Northern Red-backed, 331
Southern Red-backed, 50,331
- Vole, *Clethrionomys gapperi*, in Newfoundland: Implications for the Endangered Newfoundland Marten, *Martes americana atrata*, First Record of the Southern Red-Backed, 50
- Vole, *Myodes gapperi*, in the Yukon, First Records of the Southern Red-backed, 331
- Volucella bombylans*, 17
- Vors, L.S. and P.L. Wilson. A New Record Size Wolf, *Canis lupus*, Group for Ontario, 367
- Vulpes fulva*, 468
macrotis, 52
macrotis mutica, 210
velox, 31
vulpes, 36,68,263,342
vulpes deletrix, 51
- Vulpes velox*, in Southeastern Colorado, Multiple Scale Den Site Selection by Swift Foxes, 31
- Walley, W.J. Probable Black Bear, *Ursus americanus*, Retrieval of an Elk, *Cervus elaphus*, Carcass from a Small Lake in Riding Mountain National Park, Manitoba, 110
- Walley, W.J., Ring-billed Gull, *Larus delawarensis*, Food Piracy on Diving Ducks, 109
- Walleye, 421
- Walton, L.R., 342
- Wasp, 295
- Waxwing, Cedar, 294
- Way, J.G. and D.L. Eatough. Use of "Micro"-Corridors by Eastern Coyotes, *Canis latrans*, in a Heavily Urbanized Area: Implications for Ecosystem Management, 474
- Way, J.G., D.-L.M. Szumylo, and E.G. Strauss. An Ethogram Developed on Captive Eastern Coyotes *Canis latrans*, 263
- Way, J.G., S.M. Cifuni, D.L. Eatough, and E.G. Strauss. Rat Poison Kills a Pack of Eastern Coyotes, *Canis latrans*, in an Urban Area, 478
- Weasel, Short-tailed, 51,62
- Weatherloach, 424
- Wery, P., 289
- Whale, Blue, 95
Bowhead, 462
Fin, 95
Humpback, 95
Killer, 457
Long-finned Pilot, 97
Minke, 95
North Atlantic Right, 95
Pilot, 97
Pygmy Sperm, 97
Sei, 97
- Whale, *Orcinus orca*, Attacks in the Eastern Canadian Arctic, Reactions of Narwhals, *Monodon monoceros*, to Killer, 457
- Wheat, 343
- Wheat-grass, Bluebunch, 176
Crested, 337
Northern, 336
Slender, 184
- Whiteface, Frosted, 417
- Whitefish, Lake, 422,480
- Whitetail, Common, 417
- Whitlaw, H.A., 205
- Whitlow-grass, Spring, 320
- Wildlife Afield*, 132,502
- Williams, R., 199
- Willis, D.W., 71
- Willow, 158,314
Sandbar, 336
- Wilson, P.L., 367
- Windgrass, Interrupted, 320
- Wissink, R., 438
- Wolf, 27,57,67,263,313,367,466,471,476,478
Arctic, 466,471
Eastern, 27
Eastern Timber, 51
Gray [Grey], 27,61,111,205,367
Newfoundland, 50
Red, 27
Timber, 27
- Wolf, *Canis lupus*, Group for Ontario, A New Record Size, 367
- Wolverine, 111
- Wolves, *Canis lupus arctos*: Influence of Order on Posture, Double Marking in Arctic, 471
- Wolves, *Canis lupus*, and Coyotes, *Canis latrans*, Conditions for Sexual Interactions Between Wild Grey, 27
- Wolves, *Canis lupus arctos*, in Summer, Urine-marking and Ground-scratching by Free-ranging, 466
- Wolves, *Canis lupus*, in Southcentral Alaska, Physical Characteristics, Hematology, and Serum Chemistry of Free-ranging Gray, 205
- Wolves, *Canis lupus*, of Coastal British Columbia, Early Ontogenetic Diet in Gray, 61
- Wolves, *Canis lupus*, on Caribou, *Rangifer tarandus*, Winter Ranges in Westcentral Alberta, Pack Size of, 313
- Woodley, S.J., G. Johnson, B. Freedman, and D.A. Kirk. Effects of Timber Harvesting and Plantation Development on Cavity-nesting Birds in New Brunswick, 298
- Woodpecker, Black-backed, 302
Downy, 302

Hairy, 294,302
 Pileated, 299,302
 Woolly-heads, Dwarf, 163
 Woolly-heads, *Psilocarphus brevissimus* var. *brevissimus*, in
 Canada, Conservation Evaluation of the Pacific Popu-
 lation of Dwarf, 163
 Wren, Winter, 302

Xiphophorus helleri, 422
Xylota, 20
confusa, 17
quadrimaculata, 17
 .

Yellow-cedar, 172
 Yellowlegs, Lesser, 5
 Yukon, First Records of the Southern Red-backed Vole, *Myo-
 des gapperi*, in the, 331
 Yukon Territory, Diversity and Range of Amphibians of the,
 87
 Yukon Territory, First Records of the Northern Long-eared
 Bat, *Myotis septentrionalis*, in the, 39

Zannichellia palustris, 416
Zapus hudsonius, 332
Zea mays, 226
Zenaida macroura, 294

Index to Book Reviews

Botany

Burger, W.C. Flowers How They Changed the World, 249
 Carder, A. Giant Trees of Western America and the World, 120
 Rover, F. and R. Dickinson. Plants of Alberta, 386
 Scotter, G. and H. Flygare. Wildflowers of the Rocky Moun-
 tains, 386
 Viereck, L. and E.L. Little. Alaska Trees and Shrubs. Second
 Edition, 491

Environment

Dow, K. and T.E. Downing. The Atlas of Climate Change: Mapping the World's Greatest Challenge, 493
 Fish and Wildlife Historical Society. Fish, Fur and Feathers: Fish and Wildlife Conservation in Alberta, 1905-2005, 124
 Gore, A. An Inconvenient Truth: The Planetary Emergency of Global Warming and What We Can Do About It, 494
 Kruse, G.H., V.F. Gallucci, D.E. Hay, R.I. Perry, R.M. Peterman, T.C. Shirley, P.D. Spencer, B. Wilson, and, D. Woodby. Fisheries Assessment and Management in Data-Limited Situations, 121
 McGavin, G.C. Endangered: Wildlife on the Brink of Extinction, 252
 Mundy, P. The Gulf of Alaska: Biology and Oceanography, 125
 Redcliff, D. Lapland A Natural History 123
 Saab, V.A. and H.D.W. Powell. Fire and Avian Ecology in North America Studies in Avian Biology Number 30, 121
 Warren, A. and T. Allan. Guide to Deserts, 251

Miscellaneous

Burt, W. Marshes: The Disappearing Edens, 389
 Callan, K. A Paddler's Guide to Quietco and Beyond, 496
 Czajkowski, C. Wildfire in the Wilderness, 498
 Elder, J. Pilgrimage to Vallombrosa: From Vermont to Italy in the Footsteps of George Perkins Marsh, 387
 Hudson, R. A Field Guide to Gold, Gemstones & Mineral Sites of British Columbia, Sites Within a Day's Drive of Vancouver, 128
 Hudson, R. A Field Guide to Gold, Gemstones & Mineral Sites of British Columbia, Sites Within a Day's Drive of Vancouver, 253
 Koepfel, D. To See Every Bird on Earth, 498
 Mabey, R. Gilbert White: A Biography of the Author of *The Natural History of Selborne*, 496
 Mayor, A. Fossil Legends of the First Americans, 127
 Milne, P. Where to Watch Birds World Cities, 388
 Mock, D.W. More than Kin and Less than Kind: The Evolution of Family Conflict, 497

Quammen, D. The Reluctant Mr. Darwin: An Intimate Portrait of Charles Darwin and the Making of His Theory of Evolution, 252
 Shtilmark, F. History of the Russian Zapovedniks 1985-1995, 254
 Van der Flier-Keller, E. A Field Guide to the Identification of Pebbles, 255

Zoology

Acorn, J. Deep Alberta. Fossil Facts and Dinosaur Digs, 485
 Acorn, J. Ladybugs of Alberta: Finding the Spots and Connecting the Dots, 486
 Adler, P., D. Currie, and D.M. Wood. The Black Flies (Simuliidae) of North America, 245
 Arlott, N. Birds of Europe, Russia, China and Japan: Passerines, Tyrant Flycatchers to Buntings, 484
 Beadle, D. and J. Rising. Tanagers, Cardinals, and Finches of the United States and Canada, 119
 Bildstein, K.L. Migrating Raptors of the World: Their Ecology and Conservation, 382
 Bonin, F., B. Devaux and A. Dupre. Turtles of the World, 248
 Chu, M. Songbird Journeys: Four Seasons in the Lives of Migratory Birds, 385
 Clements, J.F. The Clements Checklist of Birds of the World 6th Edition, 483
 de Asua, M. and R. French. A New World of Animals: Early Modern Europeans on the Creatures of Iberian America, 487
 del Hoyo, J., A. Elliott and D.A. Christie. Handbook of the Birds of the World Volume II Old World Flycatchers to Old World Warbler, 381
 Eisner, T., M. Eisner, M. Siegler. Secret Weapons Defenses of Insects, Spiders, Scorpions, and Other Many-Legged Creatures, 118
 Elbroch, M. Animal Skulls, A Guide to North American Species, 243
 Elphick, J. Atlas of Bird Migration: Tracing the Great Journeys of the World's Birds, 380
 Evans, H.E. and K.M. O'Neill. The Sand Wasps: Natural History and Behavior, 489
 Firouz, E. The Complete Fauna of Iran, 114
 Forsyth, R.G. Land Snails of British Columbia, 383
 Gibson, M. Gibson's Guide to Bird Watching & Conservation, 485
 Hoogland, J. Conservation of the Black-tailed Prairie Dog: Saving North America's Western Grasslands, 382
 Jackson, D.C. Tracks, 490
 Latta, S., C. Rimmer, A. Keith, J. Wiley, H. Raffaele, K. McFarland, E. Fernandez. Birds of the Dominican Republic and Haiti, 379

- Lynch, W. Penguins of the World, 488
- Marshall, S.A. Insects: Their Natural History and Diversity: With a photographic guide to insects of eastern North America, 117
- Marshall, S.A. Insects: Their Natural History and Diversity: With a Photographic Guide to Insects of Eastern North America, 246
- Maybank, B. The Birding Sites of Nova Scotia, 114
- Morrison, M.L. The Northern Goshawk: A technical Assessment of its Status, Ecology and management, 247
- Moss, S. The Birder's Companion, 379
- Nagorsen, D.W. Rodents and Lagomorphs of British Columbia, 118
- Nelson, J.S. Fishes of the World, 116
- O'Connor, M. Why Don't Woodpeckers Get Headaches? And Other Bird Questions You Know You Want To Ask, 490
- Panov, E.N. Wheatears of Palaearctic: Ecology, Behaviour and Evolution of the Genus *Oenanthe*, 119
- Proctor, N. and P. Lynch. A Field Guide to North Atlantic Wildlife, 244
- Sale, R. A Complete Guide to Arctic Wildlife, 244
- Stevenson, T. and J. Fanshawe. The Birds of East Africa: Kenya, Tanzania, Uganda, Rwanda, Burundi, 113
- Theberge, J.B. and M.T. Theberge. The Wolves of Algonquin Park: A 12-year Ecological Study, 249
- Wheeler, B.K. Raptors of Western North America and Raptors of Eastern North America, 489

Young Naturalists

- de Vries, M. Tale of a Great White Fish, 499

Advice for Contributors to *The Canadian Field-Naturalist*

Content

The Canadian Field-Naturalist is a medium for the publication of scientific papers by amateur and professional naturalists or field biologists reporting observations and results of investigations in any field of natural history provided that they are original, significant, and relevant to Canada. All readers and other potential contributors are invited to submit for consideration their manuscripts meeting these criteria. The journal also publishes natural history news and comment items if judged by the Editor to be of interest to readers and subscribers, and book reviews. Please correspond with the Book Review Editor concerning suitability of manuscripts for this section. For further information consult: A Publication Policy for the Ottawa Field-Naturalists' Club, 1983. *The Canadian Field-Naturalist* 97(2): 231-234. Potential contributors who are neither members of *The Ottawa Field-Naturalists' Club* nor subscribers to *The Canadian Field-Naturalist* are encouraged to support the journal by becoming either members or subscribers.

Manuscripts

Please submit by post **to the Editor**, in either English or French, **three** complete manuscripts **written in the journal style**. Manuscripts may also be submitted (one copy) by e-mail. The research reported should be original. It is recommended that authors ask qualified persons to appraise the paper before it is submitted. All authors should have read and approved it. Institutional or contract approval for the publication of the data must have been obtained by the authors. Also authors are expected to have complied with all pertinent legislation regarding the study, disturbance, or collection of animals, plants or minerals. The place where voucher specimens have been deposited, and their catalogue numbers, should be given. Latitude and longitude should be included for all individual localities where collections or observations have been made.

Manuscripts should be printed on standard-size paper, **doublespaced throughout**, generous margins to allow for copy marking, and **each page numbered**. For Articles and Notes provide a bibliographic (citation) strip, an abstract, and a list of key words. Generally, words should not be abbreviated but use SI symbols for units of measure. The names of authors of scientific names may be omitted except in taxonomic manuscripts or other papers involving nomenclatural problems. "Standard" common names (with initial letters capitalized) should be used at least once for all species of higher animals and plants; all should also be identified by scientific name.

The names of journals in the Literature Cited should be written out in full. Unpublished reports and web documents should not be cited here but placed in a separate Documents Cited section. List the captions for figures numbered in arabic numerals and typed together on a separate page. Present the tables each titled, numbered consecutively in arabic numerals, and placed on a separate page. Mark in the margin of the text the places for the figures and tables.

Check recent issues (particularly Literature Cited) for journal format. Either "Canadian" or "American" spellings are acceptable in English but should be consistent within one manuscript. **The Oxford English Dictionary, Webster's New International Dictionary** and **le Grand Larousse Encyclopédique** are the authorities for spelling.

Illustrations

Photographs should have a glossy finish and show sharp contrasts. Electronic versions should be high resolution. Prepare line drawings with India ink on good quality paper and letter (don't type) descriptive matter. Photographic reproduction of line drawings should be **no larger than a standard page**. Write author's name, title of paper, and figure number on the lower left corner or on the back of each illustration.

Reviewing Policy

Manuscripts submitted to *The Canadian Field-Naturalist* are normally sent for evaluation to an Associate Editor (who reviews it or asks another qualified person to do so), and at least one other reviewer, who is a specialist in the field, chosen by the Editor. Authors are encouraged to suggest names of suitable referees. Reviewers are asked to give a general appraisal of the manuscript followed by specific comments and constructive recommendations. Almost all manuscripts accepted for publication have undergone revision—sometimes extensive revision and reappraisal. **The Editor makes the final decision** on whether a manuscript is acceptable for publication, and in so doing aims to maintain the scientific quality, content, overall high standards and consistency of style, of the journal.

Special Charges — Please take note

Authors **must share in the cost of publication** by paying \$90 for each page, plus \$30 for each illustration (any size up to a full page), and up to \$90 per page for tables (depending on size). Authors may also be charged for their changes in proofs. Reproduction of color photos is extremely expensive; price quotations may be obtained from the Editor.

Limited journal funds are available to help offset publication charges to authors without grants or institutional support. Requests for financial assistance should be made to the Editor when the manuscript is submitted.

Reprints

An order form for the purchase of reprints or pdf will accompany the galley proofs sent to the authors. Invoices for publication costs will be sent when the submission is published.

FRANCIS R. COOK, Editor
RR 3 North Augusta, Ontario K0G 1R0 Canada